

Tapes, Masking & Fasteners



3M	PAGE 1-5
Euro & Advance	PAGE 5
Marine Industrial	PAGE 5-6
Indasa & Premier	PAGE 6

Offering Full Technical Support

sales@marineindustrial.co.uk

01692 406822

www.marineindustrial.co.uk

Station Road, Worstead, North Walsham, NR28 9RZ

3M 2120 Masking Tape

2120 is a general purpose, cost effective, masking tape ideal for non-critical applications. Very good performance and holding power up to 60°C. This tape has superior removal properties. (Box quantities in brackets)



Product Codes:

19mm x 50M	3M-2120-19 (48)
25mm x 50M	3M-2120-25 (36)
38mm x 50M	3M-2120-38 (24)
50mm x 50M	3M-2120-50 (20)

3M 2321 Masking Tape

2321 is a creped paper masking tape designed for general use applications in marine masking. It's designed for short term paint masking, paper aproning and fixing up to a temperature of 80°C for one hour.



Product Codes:

19mm x 50M	3M-2321-19
25mm x 50M	3M-2321-25
50mm x 50M	3M-2321-50

3M 2090 Scotch-Blue 14 Day, Out Door Masking Tape

A very popular multi-surface tape for marine applications, given its good balance between ultraviolet resistance and clean removability. Can be left on most surfaces for up to 14 days, even when exposed to direct sunlight. Bright blue colour makes this tape easily identifiable. (Box quantities in brackets)



Product Codes:

25mm x 50M	3M-2090-25 (24)
50mm x 50M	3M-2090-50 (24)

3M 3434 Scotch High Performance Tape

A light blue, smooth creped paper masking tape which can be effectively used in most marine applications. has good water resistance properties, excellent solvent resistance, good conformity and excellent instant adhesion. (Box quantities in brackets)



Product Codes:

19mm x 50M	3M-7895 (48)
25mm x 50M	3M-7897 (36)
38MM X 50m	3M-7898 (24)
50mm x 50M	3M-7899 (20)

3M Scotch-Clipper Masking Tape

Designed for paint masking applications in the marine and industrial market where high holding power is required. The temperature performance allows air drying and oven curing of paint systems up to a maximum of 100°C for one hour with easy removal afterwards. (Box quantities in brackets)



Product Codes:

18mm x 50M	3M-7843 (48)
24mm x 50M	3M-7845 (36)
36mm x 50M	3M-7846 (24)
48mm x 50M	3M-7847 (20)

3M 244 Scotch Masking Tape

A gold coloured speciality masking tape with a flat paper backing and synthetic adhesive, well suited for holding, sealing and paint masking, particularly where exposed to sunlight. This tape is especially suited for applications where UV resistance and clean removal is required up to 7 days after application.



Product Codes:

19mm x 50M	3M-244-19
50mm x 50M	3M-244-50

Offering Full Technical Support

01692 406822

Station Road, Worstead, North Walsham, NR28 9RZ

sales@marineindustrial.co.uk

www.marineindustrial.co.uk

3M Soft Edge Masking Tape

This tape is used formasking up door apertures etc to avoid over-spray entering behind the door panels. Excellent for masking where a soft edge is desirable when spray painting, avoiding course straight lines as related with normal masking, also excellent for using when blending and fading out when painting spraying



Product Code:

19mm x 5M

3M-09973

3M 471 Vinyl Tape

A vinyl tape that is highly conformable and is excellent for masking off areas for detailed paint applications such as boot stripe painting. Also excellent for masking over rivets on steel and aluminium boats.



Product Codes:

25mm Black

3M-471-25

25mm Yellow

3M-471-25YW

50mm Red

3M-471-50

50mm White

3M-471-50-WHT

MOQ's may apply, please ask for details

3M Waterproof Cloth Tape

A flexible polyethylene coated woven cloth tape, coated with an aggressive rubber resin adhesive. The cloth backing is extremely strong but still maintains easy tear properties. Advantages of this tape include; high strength, excellent weather/humidity resistance, conformable and easy tear.



Product Codes:

50mm Black

3M-3998-BLK

50mm Silver

3M-3998-SILVER

3M 218 Scotch Fine Line Tape

A high performance film backed tape with low profile and high adhesion to achieve excellent paint lines. A special processed backing allows taping over freshly painted acrylic lacquer or enamel surfaces sooner with less chance of imprint damage



Product Codes:

3mm x 55M

3M-6520FINE

6mm x 55M

3M-6521FINE

12mm x 55M

3M-6522FINE

19mm x 55M

3M-6523FINE

25mm x 55M

3M-2182555

3M Scotch Fine Line Striping Tape

This polypropylene film tape has been specially designed for uniform, multi stripping of paints. It's been engineered with 8 x 1.6mm ready-formed pull out slits so you can achieve the most perfect uniform lines.



Product Code:

25mm x 13M

3M-6314

3M Scotch 23 Self-Fusing Tape

The Scotch 23 tape is a highly conformable self-fusing EPR (Ethylene Propylene Rubber) based tape. It is a non-vulcanising shelf-stable tape with excellent electrical properties. It can also be used for all kinds of general purpose applications.



Product Code:

19mm X 9.15M

3M-SC23-19

Offering Full Technical Support

sales@marineindustrial.co.uk

www.marineindustrial.co.uk

01692 406822

Station Road, Worstead, North Walsham, NR28 9RZ

3M Dual Lock Chandlery Packs

Type 250 dual lock, differing in sizes, colour and adhesive levels. Ideal for all Chandlery shop counters or tool boxes.



VHB Product Codes:

25mm x 5M Black x2 3M-SJ355D
25mm x 5M Clear x2 3M-SJ356D

General Purpose Product Code:

25mm x 5M Black x2 3M-SJ354D

High Performance Product Code:

25mm x 5M Clear x2 3M-SJ457D

MOQ's may apply, please ask for details

3M Scotchmate Hook & Loop Fastening System

This black, hook and loop fastening system, with pressure sensitive rubber adhesive, features tiny stiff hooks which mesh with pliable loops.



Product Codes:

25mm x 5M 3M-SJ352D

MOQ's may apply, please ask for details

3M Scotchmate Reclosable Fastener Hook

Premium performance PSA nylon hook & Loop tape with clear polyethylene film liner. Tiny, stiff hooks mesh with pliable loops for quick secure fastening.



Product Code:

Hook 25mm x 45M Black 3M-SJ3572
Loop 25mm x 45M Black 3M-SJ3571

3M Dual Lock Re-Closable Fasteners

Dual Lock fasteners described here consist of two types of continuous plastic strips with mushroom shaped stems. They are designed to engage together with one another to provide re-closable fastening for a wide range of applications.



- Dual Lock 400 - has a dense stem pattern of approximately 62 stems/cm². It locks together in any position and is generally the best choice for joining two surfaces when using the Pressure-Sensitive Dual Lock products.

- Dual Lock 250 - has approximately 38 stems/cm². It is a self-engaging fastener providing similar strength to Type 400 to Type 170 combination. It also reduces inventory as only one roll is required.

- Dual Lock 170 - has approximately 26 stems/cm². Besides general use with Dual Lock Type 400, it can also be mated to Scotchmate Loop products to provide an excellent high strength fastener with a limited re-closure life. SJ 3540 Range - Designed for general purpose kinds of dynamic and static load applications where temperatures do not exceed 49°C. SJ 3550 Range - Designed for high strength bond applications. These products can be bonded to paints, plastics, metals etc at a range of temperatures between -29°C to +93°C making them ideal for holding in head linings.

Product Codes:

25mm x 45.7M 400 BLACK	3M-SJ3551
25mm x 45.7M 400 BLACK	3M-SJ3541
25mm x 45.7M 250 BLACK	3M-SJ3550
25mm x 45.7M 250 BLACK	3M-SJ3540
25mm x 45.7M 170 BLACK	3M-SJ3552
25mm x 45.7M 170 BLACK	3M-SJ3542

MOQ's may apply, please ask for details

Offering Full Technical Support

sales@marineindustrial.co.uk

www.marineindustrial.co.uk

01692 406822

Station Road, Worstead, North Walsham, NR28 9RZ

3M General Purpose Safety Walk

A high-friction textured material. It consists of abrasive mineral particles bonded by a tough, durable polymer to a dimensionally stable plastic backing. The backing is coated with a pressure-sensitive adhesive covered by a removable protective liner.



Product Codes:

25mm X 18.3M Black	3M-SW-GPBK1
50mm x 18.3M Black	3M-SW-GPBK2
100mm x 18.3M Black	3M-SW-GPBK4
150mm x 18.3M Black	3M-SW-GPBK6
50mm x 18.3M Green	3M-SW-GPGN2

3M Resilient Safety Walk

A high-friction resilient textured material. The product consists of a fine textured resilient top surface. The reverse side is coated with a pressure-sensitive adhesive covered by a removable protective liner.



Product Codes:

100mm x 18.3M Medium Grey	3M-SW-RESGY4
50mm x 18.3M Medium Grey	3M-SW-RESGY2
25mm x 18.3M Medium White	3M-SW-RESWH1
50mm x 18.3M Fine White	3M-SW-RESWH2

MOQ's may apply, please ask for details

EURO 80 Masking Tape

A high quality, high adhesion masking tape suitable for applications up to 80°C. Pressure sensitive backing means that when applied properly high quality marine paints can be used without 'bleed' occurring.



Product Codes:

19mm x 50M	TN-MT-E80-19
25mm x 50M	TN-MT-E80-25
38mm x 50M	TN-MT-E80-38
50mm x 50M	TN-MT-E80-50

ADVANCE Electrical Tape

A high quality PVC tape rated to BS3924 flame retardant. Ideal for electrical and rigging applications.



Product Codes:

19mm x 33M Black	TN-E-T-19BK
19mm x 33M Blue	TN-E-T-19BE
19mm x 33M Brown	TN-E-T-19BN
19mm x 33M Green	TN-E-T-19GN
19mm x 33M Red	TN-E-T-19RD
19mm x 33M White	TN-E-T-19WE
19mm x 33M Yellow	TN-E-T-19YW

ADVANCE Cloth Tape

A high quality, high adhesive cloth tape suitable for interior and exterior use. Easy tear means this product is much easier to use in the work shop than 'cheaper' equivalents.



Product Codes:

50mm x 50M Aluminium Foil	TN-CLOTH-ALU
50mm x 50M Black	TN-CLOTH-BLK
50mm x 50M Silver	TN-CLOTH-GY
50mm x 50M White	TN-CLOTH-WH

Brown Parcel Tape

A quality low noise brown parcel tape.



Product Code:

50mm x 50M	MI-PARCEL
------------	-----------

Offering Full Technical Support

01692 406822

Station Road, Worstead, North Walsham, NR28 9RZ

sales@marineindustrial.co.uk

www.marineindustrial.co.uk

Vacuum Bagging Putty Tape

These specially designed putty tapes are ideal for creating an air-tight seal when vacuum bagging. They're pressure sensitive meaning that the harder you nip the tape to the bag, the better seal you create.



Product Code:
3mmx12mmx15M Black AC-LTS90B

Flash Tape

A polyester tape, backed with a fully cured, pressure sensitive adhesive. Strips easily after use. Max temp: 204C



Product Code:
25mm x 65M Blue AC-FT1172

INDASA Fine Line Tape

High quality vinyl tape to be used to achieve a clean, sharp edge when using high quality marine paints. This product will also stretch and conform very easily round contoured surfaces.



Product Codes:
3mm x 55M IND-FLT-3
6mm x 55M IND-FLT-6
9mm x 55M IND-FLT-9
12mm x 55M IND-FLT-12
19mm x 55M IND-FLT-19

INDASA Masking Tape

High performance, crepe paper masking tape. Ideal for both air dry and low bake applications. Temperature rating of 80°C. This tape is extremely flexible and conformable, easy to tear and easy to apply and remove with no adhesive transfer.



Product Codes:
24mm x 50M IND-MTE-24
48mm x 50M IND-MTE-48

PREMIER Hatch Sealing Tape SGV20

A high quality, single sided adhesive closed cell PVC foam tape, commonly used when fixing marine window frames to achieve a water-tight seal without using sealants/adhesive.



Product Codes:
6mm x 12mm x 12 M PT-SGV20-6X12
6mm x 25mm x 12M PT-SGV20-6X25
10mm x 25mm x 10M PT-SGV20-10X25
20mm x 25mm x 5M PT-SGV20-20X25

PREMIER Heavy Duty Hatch Sealing Tape SGV25

A high quality, single sided adhesive closed cell PVC foam tape, commonly used when fixing marine window frames to achieve a water-tight seal without using sealants/adhesives.



Product Codes:
3mm x 12mm x 25M PT-SGV25-3X12
3mm x 19mm x 25M PT-SGV25-3X19
3mm x 25mm x 25M PT-SGV25-3X25
6mm x 19mm x 12M PT-SGV25-6X19
6mm x 50mm x 10M PT-SGV25-6X50

Offering Full Technical Support

sales@marineindustrial.co.uk

www.marineindustrial.co.uk

01692 406822

Station Road, Worstead, North Walsham, NR28 9RZ

