

# Solvents & Cleaners



Marine Industrial	PAGE 1-2
Marine Finish & Seajet	PAGE 2
West System	PAGE 3
Jotun	PAGE 3-4
3M	PAGE 4-5
Sika, Aquaseal, Arbo	PAGE 5
Hints & Tips	PAGE 6

Offering Full Technical Support



## Terebine Driers


A blended metallic drier which can be added to oil based paints to improve curing time in cold and damp environments. It can be added to oil based varnishes, undercoats, gloss paints etc at a maximum of 5%. Once mixed, leave product for 20 minutes before application.



**Product Code:**  
25ml MI-TEREPIN-250

## Acetone

Pure acetone for cleaning and degreasing surface. Can also be used to clean metal



**Product Codes:**  
1L ASOL4-1  
2.5L ASOL4-2.5

## White Spirit

Top quality White Spirit for cleaning of tools or thinning down petroleum based paints and varnishes.



**Product Code:**  
2L MI-WHS-2

## Methylated Spirit

High quality methylated spirit for cleaning and degreasing surfaces.



**Product Codes:**  
500ml MI-M-500  
5L MI-M-5L

## Raw Linseed Oil

Raw linseed oil penetrates and feeds wood leaving little or no surface coating. It's especially recommended for application to oak, where its slower drying times gives the oil more chance of soaking into the dense fibre structure. Add a small amount of White Spirit to the first coat when applying to bare timber.



**Product Code:**  
500ml MI-BLO-500

## Genuine Turpentine

Genuine Turpentine is a natural product distilled from pine trees. It blends beautifully with oil based paints when thinning is required and will clean and protect expensive paint brushes much better than white spirit.



**Product Code:**  
2.5L MI-TURPS-2.5

Offering Full Technical Support

01692 406822

Station Road, Worstead, North Walsham, NR28 9RZ

sales@marineindustrial.co.uk

www.marineindustrial.co.uk

## Marine Finish 2 Pack PU Solvent

High quality solvent for thinning down the Marine Finish 2 Pack Polyurethane Paints and washing of tools.



**Product Codes:**

1L MF-SOL100  
5L MF-SOL100-5

## SEAJET Thinners A

For cleaning and thinning down of Seajet Antifoulings, 011 Underwater Primer and Seajet Speed.



**Product Codes:**

1L SJ-908TR0061-1  
5L SJ-908TR0061-5

## SEAJET Thinners E

For cleaning and thinning down of Seajet Epoxy Primers 017, 117, 118 and Umeguard SX.



**Product Code:**

1L SJ-901TE0061-1

## SEAJET Thinners P

For cleaning and thinning down of Seajet 132 Polyurethane Gloss and Seajet Polyurethane Gloss Varnish



**Product Code:**

1L SJ-901TU0707-1

## SEAJET Thinners U

For cleaning and thinning down of Seajet Brilliance, Seajet UV Varnish, Seajet Satin Varnish and Seajet Universal Primer



**Product Code:**

1L SJ-907TM0061-1



*India*

Offering Full Technical Support

sales@marineindustrial.co.uk

www.marineindustrial.co.uk

01692 406822

Station Road, Worstead, North Walsham, NR28 9RZ

## WEST SYSTEM 850 Cleaning Solvent

A specially blended cleaning solvent for removing uncured epoxy from tools and work surfaces. Also excellent for cleaning contaminants from cured epoxy surfaces.

**Product Codes:**

1L                                WS-850  
2.5L                              WS-850B

## WEST SYSTEM 855 Cleaning Solution

A safe, easy to use cleaning solution developed to remove uncured epoxy from tools, workbenches, mini pumps etc. This product can also be used to wash off amine blush from cured epoxy.

**Product Codes:**

1L    WS-855  
5L    WS-855B

## JOTUN Thinners No.2

Thinners No.2 is a general use thinner for most conventional alkyd or oil based paints. Thinners No. 2 is the solvent base for Pilot II.

**Product Code:**

1L    JN-TH-2-1

## JOTUN Thinners No. 7

Solvent thinner. General purpose thinner for acrylic and chlorinated rubber paints and antifouling compositions.

**Product Code:**

1L    JN-TH-7-1  
5L    JN-TH-7-5

## JOTUN Thinners No. 10

Solvent thinner. Thinners for polyurethane or similar paint products.

**Product Code:**

1L    N-TN-10-1

## JOTUN Thinners No. 12

A high quality solvent with a slow rate of evaporation. Generally, for improving the flow and levelling properties of Megagloss products by slowing solvent evaporation/drying. Particularly suitable for brushing/rolling Megagloss RQ. May be blended with Thinners No. 18 and used when spraying Megagloss in hot conditions.

**Product Codes:**

1L    JN-TH12-1

Offering Full Technical Support

**01692 406822**

Station Road, Worstead, North Walsham, NR28 9RZ

[sales@marineindustrial.co.uk](mailto:sales@marineindustrial.co.uk)

[www.marineindustrial.co.uk](http://www.marineindustrial.co.uk)

### JOTUN Thinners No.17

Thinners No.17 is a solvent thinner. Recommended thinner for epoxies and similar paint products. Thinners No 17 is the solvent base for Jotamastic 87. This thinners can also be used with the MegaPrimer, MegaCoat and Anti-Pest Primers



**Product Codes:**

1L JN-TH17-1  
5L JN-TH17-5

### JOTUN Thinners No.18

A high quality solvent with a medium rate of evaporation. For improving flow and levelling properties when spraying Megaspeed Undercoat and when spraying Megagloss in average/moderate temperature conditions.



**Product Codes:**

1L JN-TH18-1  
5L JN-TH18-5

### JOTUN Thinners No. 19

A high quality solvent with a fast rate of evaporation. Use for improving flow and levelling properties when spraying Megagloss in cold temperatures. May be blended with Thinners No. 18 when spraying in more moderate conditions. Thinners No. 19 is not suitable for brush/roller applications.



**Product Codes:**

1L JN-TH19-1  
5L JN-TH19-5

### 3M SCOTCH-WELD Citrus Cleaner

This Cleaner Spray is a heavy duty cleaner/degreaser that works effectively on difficult to remove substances such as dried, non-curing adhesives, tape residue, grease, oils and dirt. The cleaner contains citrus oils and will emulsify when flushed with water.



**Product Codes:**

200ml 3M-CITRUS171  
500ml 3M-CITRUS500

### 3M General Purpose Adhesive Cleaner

A specially blended solvent that provides easy cleanup of most types of adhesives, and quickly removes waxes, greases, oil and tars. When properly used, it will not harm thoroughly dried paint, vinyl or fabric.



**Product Code:**

1L 3M-8984

### 3M VHB Cleaner

This cleaner helps to obtain optimum adhesion by thoroughly cleaning the bonding surface.



**Product Code:**

1L 3M-VHB-SURF-CL-1L

Offering Full Technical Support

sales@marineindustrial.co.uk

www.marineindustrial.co.uk

01692 406822

Station Road, Worstead, North Walsham, NR28 9RZ



### 3M Heavy Duty Textured Handwipes

Designed for the removal of soils encountered in the Paintshop and for tougher grime and dirt, offering the same benefits as 3M Professional Handwipes but with the added advantage of a textured side to provide a gentle scrubbing action. Strong and absorbent, they are ideal for the effective removal of harsher bodyshop soils.



**Product Code:**

Pack of 100

3M-51058 (MOQ4)

### 3M Professional Handwipes

Pre-impregnated with a specially formulated cleaner, ideal for removing common Bodyshop soils such as oil, wet and dry paint, grease, grime, ink and adhesives. Smooth on both sides, the wipes leave hands clean and moisturised, with an anti-bacterial agent providing long lasting protection in the work environment.



**Product Code:**

Pack of 150

3M-51059 (MOQ4)

### SIKA Cleaning Wipes

Textured wipes for removal of uncured Sikaflex and heavy soiling from skin. No rinse required after use. 100 pre-cut sheets per tub.



**Product Code:**

Pack of 100

SA-WIPES

### AQUASEAL Marine Wipes

Heavy duty, textured wipes which are specially formulated to clean hands, tools and surfaces. They can easily remove engine oil, bilge grime, grease, mildew stains, scuff marks, waterline scum and exhaust stains.



**Product Code:**

Pack of 75

EVER-MWIPE75

### ARBO Cleaner No. 16

Alcohol based cleaner suitable for the cleaning and degreasing of delicate surfaces, such as paints and varnishes, prior to bonding.



**Product Code:**

1L

AR-16-1

### ARBO Cleaner No. 17

Xylene based cleaner for the effective removal of grease and other contaminants on less delicate substrates such as GRP, Gelcoat and concrete.



**Product Code:**

1L

AR-17-1

Offering Full Technical Support

01692 406822

Station Road, Worstead, North Walsham, NR28 9RZ

sales@marineindustrial.co.uk

www.marineindustrial.co.uk

## SEAJET Thinners

Type	Thinners for 1 component paint		Thinners for 2 component paint	
	Thinner A	Thinner U	Thinner E	Thinner P
Product Selector				
Recommended for	Seajet antifouling, Seajet Speed, Seajet 011 Underwater Primer	Seajet Brilliance, Seajet Universal Primer, Seajet UV Varnish	Suitable for all Seajet epoxy primers	Seajet 132 PU Gloss
Main benefits	Cleaning Brushes and spray equipment. Thinning for easier application	Cleaning Brushes and spray equipment. Thinning for easier application	Cleaning Brushes and spray equipment. Thinning for easier application	Cleaning Brushes and spray equipment. Thinning for easier application
Suitable for use on Gelcoat	✓ To degrease and clean	✓ To degrease and clean	✓ To degrease and clean	✓ To degrease and clean
Pack size	1L	1L	1L	1L

Note - Key ✓ Suitable    ✓✓ Very Suitable    ✓✓✓ Ideal    X Unsuitable

## JOTUN Thinners

JOTUN Thinners	Description
<b>No.2</b>	General purpose thinner for most conventional alkyd or oil based paints. Consult the technical data sheet for the actual Jotun product.
<b>No.7</b>	General purpose thinner for acrylic and chlorinated rubber paints and antifouling compositions.
<b>No.10</b>	Thinner for polyurethane or similar paint products NOTE: Not for use with zinc silicates.
<b>No.12</b>	Generally, for improving the flow and levelling properties of Megagloss products by slowing solvent evaporation/drying. Particularly suitable for brushing/rolling Megagloss RQ. May be blended with Thinners No. 18 and used when spraying Megagloss in hot conditions.
<b>No.17</b>	Thinners for epoxies and similar paint products. NOTE: Not for use with Tankguard products.
<b>No.18</b>	For improving flow and levelling properties when spraying Megaspeed Undercoat and when spraying Megagloss in average/moderate temperature conditions. May be blended with Thinner No. 19 when spraying Megagloss in cold conditions, or with Thinner No. 12 when spraying in hot conditions.
<b>No.19</b>	For improving flow and levelling properties when spraying Megagloss in cold temperatures. May be blended with Thinners No. 18 when spraying in more moderate conditions. Thinners No. 19 is not suitable for brush/roller applications.

Offering Full Technical Support

sales@marineindustrial.co.uk

01692 406822

www.marineindustrial.co.uk

Station Road, Worstead, North Walsham, NR28 9RZ

