

Paints & Coatings

Seajet	138-142
Marine Industrial	142-144
Jotun	144-156
Owatrol	156-157
Epifanes	158-160
Brava	160-161
Alexseal	161-168
Burgess Marine	169



Antifoul

SEAJET 030 WARRIOR ANTIFOUL





SEAJET 030 Warrior is a self-polishing antifouling paint suitable for all types of pleasure craft. Seajet 030 Warrior is suitable for drying moorings.

Product Codes

SEAJET 030 WARRIOR BLACK 2.5L	SJ-691CR0013-2
SEAJET 030 WARRIOR BLUE 2.5L	SJ-691CR6910-2
SEAJET 030 WARRIOR RED 2.5L	SJ-691CR2291-2

SEAJET 031 SAMURAI ANTIFOUL



SEAJET 031 Samurai is a performance antifoul for all types of pleasure craft. SEAJET 031 Samurai is suitable for all boats up to 40 knots. It has great coverage, 9-10 square metres per litre. Based on Seajet&award winning technology. SEAJET 031 Samurai has a hydration mechanism for controlled self-polishing action.

Product Codes

SEAJET 031 SAMURAI ANTIFOUL BLACK 2.5L	SJ-667VR0013-2
SEAJET 031 SAMURAI ANTIFOUL GREEN 2.5L	SJ-667VR5125-2
SEAJET 031 SAMURAI ANTIFOUL RED 2.5L	SJ-667VR2104-2
SEAJET 031 SAMURAI ANTIFOUL ROYAL BLUE	SJ-667VR6920-2
2.5L	

SEAJET 031 SAMURAI ANTIFOUL SHARK GREY SJ-667VR2095-2 2.5L

SEAJET 032 PROFESSIONAL ANTIFOUL





SEAJET 032 Professional is a self-polishing antifoul designed for the professional applicator. Suitable for both fresh and salt water environments. SEAJET 032 Professional has a non boosted formulation. Provides great coverage, 9-10 square metres per litre. SEAJET 032 Professional is suitable for boats up to 40 knots. It has a hydration release mechanism for controlled self-polishing action. It has great opacity, covering existing surfaces with one coat. PLEASE NOTE: THIS PRODUCT IS FOR TRADE CUSTOMERS ONLY, THIS PRODUCT IS NOT AVAILABLE FOR RESALE

Product Codes

SEAJET 032 PROFESSIONAL ANTIFOUL BLACK 5L SJ-623VR0013-5 SEAJET 032 PROFESSIONAL ANTIFOUL NAVY SJ-623VR6920-5 BLUE 5L

SEAJET 032 PROFESSIONAL ANTIFOUL RED 5L SJ-623VR2104-5 SEAJET 032 PROFESSIONAL ANTIFOUL WHITE 5L SJ-623VR0020-5

SEAJET 033 SHOGUN ANTIFOUL





SEAJET 033 Shogun is an award winning product which is used extensively throughout the UK and Europe on any vessel up to 40 knots. SEAJET 033 Shogun is a self polishing antifouling which can be applied directly onto most previous coatings*. *Please check compatibility before over-coating with SEAJET 033 Shogun.

Product Codes

SEAJET 033 SHOGUN ANTIFOUL BLACK 750ml	SJ-640VR0013-1
SEAJET 033 SHOGUN ANTIFOUL BLACK 2.5L	SJ-640VR0013-2
SEAJET 033 SHOGUN ANTIFOUL DARK GREY	SJ-640VR0149-1
750ml	

SEAJET 033 SHOGUN ANTIFOUL DARK GREY 25L SJ-640VR0149-2 SEAJET 033 SHOGUN ANTIFOUL MID BLUE 750ml SJ-640VR6943-1 SEAJET 033 SHOGUN ANTIFOUL MID BLUE 2.5L SJ-640VR6943-2 SEAJET 033 SHOGUN ANTIFOUL NAVY BLUE SJ-640VR6094-1 750ml

SEAJET 033 SHOGUN ANTIFOUL NAVY BLUE 2.5L S	J-640VR6094-2
SEAJET 033 SHOGUN ANTIFOUL RED 750ml S	J-640VR2110-1
SEAJET 033 SHOGUN ANTIFOUL RED 2.5L	J-640VR2110-2

SEAJET 034 EMPEROR ANTIFOUL



SEAJET 034 Emperor is a high performance antifouling offering exceptional anti-slime qualities on all vessels up to 40 knots. SEAJET 034 Emperor contains no copper oxide, meaning the white colour actually stays white and does not go green! SEAJET 034 Emperor can also be applied on all metal surfaces, after using the relevant primer, without the worry of electrolytic corrosion.

Product Codes

SJ-634VR0013-1
SJ-634VR0013-2
SJ-634VR6943-1
SJ-634VR6943-2
SJ-634VR6094-1
SJ-634VR6094-2
SJ-634VR2110-1
SJ-634VR2110-2
SJ-634VR0020-1
SJ-634VR0020-2

SEAJET 035 HARD RACING ANTIFOUL



SEAJET 035 Hard Racing is a high performance, hard and burnishable antifouling suitable for motorboats, racing yachts. Excellent performance for the discerning boat owner. Burnishable for an ultra smooth finish. Colours are pure and bright. Suitable for all boats up to a speed of 40 knots. No risk of galvanic corrosion on aluminium surfaces.

Product Codes

SEAJET 035 HARD RACING BLACK 2.5L	SJ-693VR0013-2
SEAJET 035 HARD RACING NAVY BLUE 2.5L	SJ-693VR6094-2
SEAJET 035 HARD RACING RED 2.5L	SJ-693VR2110-2
SEAJET 035 HARD RACING WHITE 2.5L	SJ-693VR0020-2

SEAJET 037 COASTAL ANTIFOUL



SEAJET 037 Coastal is a good performing, hard antifouling. SEAJET 037 Coastal is suitable for fresh water and coastal/brackish areas. SEAJET 037 Coastal can also be applied to vessels which lay in a dry berth as well as high speed crafts of up to 70 knots.

Product Codes

SEAJET 037 COASTAL BLACK 2.5L	SJ-690CR0013-2
SEAJET 037 COASTAL MID BLUE 2.5L	SJ-690CR6941-2
SEAJET 037 COASTAL NAVY 2.5L	SJ-690CR6094-2
SEAJET 037 COASTAL RED 2.5L	SJ-690CR2991-2

SEAJET 039 PLATINUM ANTIFOUL





SEAJET 039 Platinum is an ultra high performance antifouling, when only the best will do. SEAJET 039 Platinum is based on a new resin technology, offering a controlled, true self polishing action like no other product on the market. Up to 5 coats of SEAJET 039 Platinum can be applied, offering 3 years trouble free cruising.

SEAJET 039 PLATINUM BLACK 2L	SJ-671FR0013-2
SEAJET 039 PLATINUM MID BLUE 2L	SJ-671FR6943-2
SEAJET 039 PLATINUM NAVY BLUE 2L	SJ-671FR6094-2
SEAJET 039 PLATINUM RED 2L	SJ-671FR2930-2

SEAJET PELLER CLEAN





SEAJET Peller Clean is an advanced and environmentally friendly foul release product. SEAJET Peller Clean contains an epoxy primer base coat and silicone top coat. SEAJET Peller Clean contains no metals making it suitable for all propellers and stern drives. One pack will cover Im².

Product Codes

SEAJET PELLER CLEAN 325ML GOLDEN PRIMER SJ-601ME2936

SEAJET PROPELLER TRIPLE PACK





SEAJET Triple-pack is designed specifically for the protection of propellers, out-drives, trim-tabs and stern gear. SEAJET Triple-pack is suitable for aluminium, aluminium-alloy and bronze substrates and contains 2-part epoxy primer system made up of a base (60% by volume) and hardener (40% by volume) mixed together prior to application. Following application of the primer, a single coat of SEAJET 034 Emperor is then applied as the final top coat. 034 Emperor is one of SEAJET*best performing, self-polishing anti-foul products designed to prevent all forms of sea growth, barnacles, slime and algae from attaching itself to the protected surface. SEAJET Triple-pack is the new standard for the underwater protection of props and stern gear.

Product Codes

SEAJET PROPELLER TRIPLE PACK BLACK 0.5L	SJ-225FR0013
SEAJET PROPELLER TRIPLE PACK VOLVO PENTA	SJ-225FR0257
DARK GREY 0.5L	
SEAJET PROPELLER TRIPLE PACK WHITE 0.5L	SJ-225FR0020

Primers

SEAJET 117 PRIMER





This product is a high performance, multipurpose, two component epoxy primer suitable for both above and below waterline areas (grey only). Ideal for use on GRP hulls where up to four coats can be applied for an osmosis preventative system, as well as metal keels and the like.

Product Codes

SEAJET 117 E	POXY PRII	MER GREY	1L	SJ-249EE0273-J	
SEAJET 117 E	POXY PRII	MER RED 1	L	SJ-249EE0608-	1
SEAJET 117 E	POXY PRII	MER WHIT	E 1L	SJ-249EE0020-	1
SEAJET 117 E	POXY PRII	MER COM	P A GREY	SJ-249EE0273- <i>i</i>	A-1.75
1.75L (2:1)			_		

SEAJET 117 EPOXY PRIMER COMP A SJ-249EE0020-A-1.75 WHITE 1.75L (2:1) TOP SIDE

SEAJET 117 EPOXY PRIMER COMP B 0.75L SJ-249EE0273-B-0.75 (2:1)

SEAJET 017 EPOXY PRIMER



sea el

For bare aluminium, bronze and any alloy surfaces after abrading and degreasing. 017 Epoxy Binding System gives superior performance compared to an etch primer. Ideal as a first coat on lead keels.

Product Codes

SEAJET 017 EPOXY PRIMER IL

SJ-203EE0020-1

SEAJET 118 HIGH BUILD EPOXY PRIMER





High build, high solids epoxy primer system which is particularly surface tolerant making it ideal for iron/steel surfaces. 118 High Build Epoxy Primer can also be used as an osmosis preventative system on GRP if 3 coats are applied.

Product Codes

SEAJET 118 HIGH BUILD EPOXY PRIMER SJ-460JE0043-A-2.21 COMP A 2.21L

SEAJET 118 HIGH BUILD EPOXY PRIMER SJ-460JE0043-B-0.29 COMP B 0.29L

SEAJET PROPELLER PRIMER





For bare aluminium, bronze, stainless and any alloy surface after abrading and degreasing. Packed in a small 250ml tin making it ideal for priming smaller areas.

Product Codes

SEAJET PROPELLER PRIMER TRANS 250ml

SJ-236EE0313

SEAJET 015 ACRYLIC UNDERWATER PRIMER





SEAJET 015 Underwater Primer based on a special acrylic resin, works as an excellent sealer/barrier coat over unknown, incompatible and Teflon based antifouling. It is quick drying and adheres well to subsequent coats. Quick drying with excellent adhesion to subsequent coats. It forms a tough yet flexible film.

Product Codes

SEAJET 015 ACRYLIC UNDERWATER PRIMER SJ-255VR0043-1

SEAJET 015 ACRYLIC UNDERWATER PRIMER 2.5L SJ-255VR0043-2

Top Coats

SEAJET BRILLIANCE GLOSS



This single component, urethane alkyd paint has very high gloss retention whilst remaining easy to apply using either brush or roller. Brilliance, although a single component product, will stand up to minor bumps and scratches.

Product Codes

SEAJET BRILLIANCE GLOSS CREAM 750ml	SJ-569AZ0546-1
SEAJET BRILLIANCE GLOSS MID BLUE 750ml	SJ-569AZ6151-1
SEAJET BRILLIANCE GLOSS NAVY BLUE 750ml	SJ-569AZ6152-1
SEAJET BRILLIANCE GLOSS RED 750ml	SJ-569AZ2093-1
SEAJET BRILLIANCE GLOSS WHITE 750ml	SJ-569AZ0020-1
SEAJET BRILLIANCE GLOSS WHITE 2.5L	SJ-569AZ0020-2

Varnish

SEAJET 120 UV VARNISH HIGH GLOSS





Provides a beautiful high gloss finish for all types of wood. Seajet UV Varnish high gloss traditional tung oil varnish. Contains UV absorbers to provide longer life. Easy to apply.

Product Codes

SEAJET 120 UV VARNISH HIGH GLOSS 750ml SJ-566AZ0061-1

Thinners

SEAJET THINNER A



For cleaning and thinning down of Seajet Antifoulings, 015 Underwater Primer and Seajet Speed.

Product Codes

SEAJET THINNER A 1L	SJ-908TR0061-1
SEAJET THINNER A 5L	SJ-908TR0061-5

SEAJET THINNERS E



For cleaning and thinning down of Seajet Epoxy Primers 017, 117 and 118

Product Codes

SEAJET THINNER E 1L	SJ-901TE0061-1
SEAJET THINNERS E 5L	SJ-901TE0061-5

SEAJET THINNERS P



For cleaning and thinning down Seajet Polyurethane

Product Codes

SEAJET THINNERS P 1L SJ-901TU0707-1

SEAJET THINNER L





For cleaning and thinning down of Seajet Brilliance, UV and Satin Varnishes and Deck Paint.

Product Codes

SEAJET THINNER U 1L SJ-907TM0061-1

Top Tops

MARINE INDUSTRIAL BLACK TAR VARNISH





Black Tar Varnish is a traditional and rustic looking waterproof, protective coating for timber, stone, brick and metal surfaces. It was re-formulated in 2003 to be low odour, quick drying and can be used to over coat traditional weathered tar coatings. After prolonged sunlight it will weather from a gloss to a matt finish.

Product Codes

MARINE INDUSTRIAL B	BLACKTAR	VARNISH 5L	MI-BTV-5
MARINE INDUSTRIAL B	LACKTAR	VARNISH 20L	MI-BTV-20

Bilge Paint

MARINE FINISH BILGE PAINT





A high quality, single component alkyd based bilge and locker paint. This product can be applied directly over GRP/Fibreglass and wood to leave a matt finish.

Product Codes
MF BILGE PAIN

MF BILGE PAINT ANTHRACITE GREY	MF-
RAL:7016 2.5L	BP4007016-2.5
MF BILGE PAINT GREY (922SP) 1L	MF-BP400GY
MF BILGE PAINT GREY (922SP) 2.5L	MF-BP400GY-2.5
MF BILGE PAINT RED 1L	MF-BP400RD
MF BILGE PAINT WHITE 1L	MF-BP400WE

Deck Coatings

MARINE FINISH DECK PAINT NON-SLIP





Single component alkyd paint system containing silica e-spheres to produce a non-slip, matt finish. Suitable for use on the majority of substrates.

Product Codes

rioduci codes	
MF DECK PAINT NON-SLIP BLACK 5L	MF-DP300BL-5
MF DECK PAINT NON-SLIP CREAM	MF-DP300CR
(T226NSCCRM1)	
MF DECK PAINT NON SLIP DARK BLUE	MF-DP3005022-1
RAL 5022 1L	
MF DECK PAINT NON-SLIP PALE GREY	MF-DP30000A05-2.5
BS:00A05 2.5L	
MF DECK PAINT NON SLIP PALE GREY	MF-DP30000A05-5
RAL:00A05 5L	
MF DECK PAINT NON-SLIP PASTEL BLUE	MF-DP3005024-1
RAL:5024 1L	
MF DECK PAINT NON-SLIP WHITE 1L	MF-DP300WE

MARINE FINISH E-SPHERES NON-SLIP AGGREGATE





Silica e-spheres which can be added to a variety of matt and gloss paints to create a non-slip finish. For best results add no more than 40g of e-spheres to every 1L of paint.

Product Codes

MF E-SPHERES AGGREGATE FOR NON-SLIP MF-DP300-SAND 200gm

Solvents

WHITE SPIRIT





Top quality White Spirit for cleaning of tools or thinning down petroleum based paints and varnishes.

Product Codes

WHITE SPIRIT 2L UN: 1300

.....

METHLYLATED SPIRITS





MI-WHS-2

High quality methylated spirit for cleaning and degreasing surfaces.

Product Codes

METHLYLATED SPIRIT 500ml	MI-M-500
METHYLATED SPIRITS 5L	MI-M-5L

GENUINE TEREBINE DRIERS





A blended metallic drier which can be added to oil based paints to improve curing time in cold and damp environments. It can be added to oil based varnishes, undercoats, gloss paints etc at a maximum of 5%. Once mixed, leave product for 20 minutes before application.

Product Codes

GENUINE TEREBINE DRIERS 250ml

MI-TEREPIN-250

GENUINE TURPENTINE





Genuine Turpentine is a natural product distilled from pine trees. It blends beautifully with oil based paints when thinning is required and will clean and protect expensive paint brushes much better that white sprit.

Product Codes

GENUINE TURPENTINE 2.5L

MI-TURPS-2.5

marine

Oils & Preservatives

RAW LINSEED OIL



Raw linseed oil penetrates and feeds wood leaving little or no surface coating. Its especially recommended for application to oak, where its slower drying times gives the oil more chance of soaking into the dense fibre structure. Add a small amount of White Spirit to the first coat when applying to bare timber.

Product Codes

RAW LINSEED OIL 500ml MI-BLO-500

Antifoul

JOTUN MARE NOSTRUM SP

#JOTUN



Product Codes

JOTUN MARE NOSTRUM SP DARK BLUE 2.51	L JN-MARENOS-DB-2.5
JOTUN MARE NOSTRUM SP RED 2.5L	JN-MARENOS-RD-2.5
JOTUN MARE NOSTRUM SP RED 5L	JN-MARENOS-RD-5

JOTUN RACING



An advanced hard antifouling that gives a hard, smooth and polishable surface. No chalking. Racing can be used on boats in all ranges of speed, but is especially suitable for speed boats in frequent use, providing an excellent result for a whole season. Only white and grey colours are recommended for aluminium hulls. The other colours are not to be used on aluminium.

rioduci codes	
JOTUN RACING DARK BLUE 2.5L	JN-RACING-DB-2.5
JOTUN RACING GREY 2.5	JN-RACING-GY-2.5
JOTUN RACING MID BLUE 2.5L	JN-RACING-BL-2.5
JOTUN RACING RED 2.5L	JN-RACING-R-2.5
JOTUN RACING WHITE 2.5L	JN-RACING-W-2.5
JOTUN RACING BLACK 2.5L	JN-RACING-B-2.5

JOTUN NONSTOP



A top class self-polishing antifouling based on advanced hydrating binders. This characteristic assures a totally active surface continuously renewed. Ideal antifouling for all type of boats. Only white and grey colours recommended for aluminium hulls, no others colours to be used on aluminium, not recommended for boats sailing only on lakes.

Product Codes

JOTUN NONSTOP BLACK 2.5L	JN-NONSTOP-BLK-2.5
JOTUN NONSTOP DARK BLUE 2.5L	JN-NONSTOP-DB-2.5
JOTUN NONSTOP GREY 2.5L	JN-NONSTOP-GY-2.5
JOTUN NONSTOP MEDIUM BLUE 2.5L	JN-NONSTOP-BL-2.5
JOTUN NONSTOP RED 2.5L	JN-NONSTOP-R-2.5
JOTUN NONSTOP WHITE 2.5L	JN-NONSTOP-W-2

JOTUN AQUALINE OPTIMA SPRAY




₫ JOTUN

A grey or black high performance antifouling specially designed for easy application on drives, trim tabs, propellers and light metal parts below the waterline. A self-polishing antifouling to be used on stern drives, sailboat drives, outboard motors, flaps and components made of aluminium or other light metals below the waterline. May not be suitable for high speed propellers.

Product Codes

JOTUN AQUALINE OPTIMA SPRAY BLACK 0.4L JN-AQOP-B-0.4 JOTUN AQUALINE OPTIMA SPRAY GREY 0.4L JN-AQOP-G-0.4



JOTUN RAVILAKK VARNISH





A high gloss, quick drying, tung oil varnish which contains UV inhibitors to prolong life throughout the season. Extensively used by the Marine trade for it's quality and value for money.

Product Codes

JOTUN RAVILAKK VARNISH 750ml

JN-RL-750

JOTUN EASYPRIMER





EasyPrimer is a fast drying and easy to use one component alkyd primer for leisure yachts. Very good hiding power and sanding properties make it ideal for EasyGloss topcoat.

Product Codes

JOTUN EASY PRIMER GREY 750ml	JN-EPRIMER-G-750
JOTUN EASY PRIMER GREY 2.5L	JN-EPRIMER-G-2.5
JOTUN EASY PRIMER WHITE 750ml	JN-EPRIMER-W-750
JOTUN EASY PRIMER WHITE 2.5L	JN-EPRIMER-W-2.5

JOTUN EASYGLOSS



#JOTUN

INI-EGLOSS-AW-750

EasyGloss is a high gloss one component alkyd topcoat for leisure yachts. You can apply it with brush and roller, and will get the best finish on top of EasyPrimer. The Jotun Easy Gloss paints can be tinted to many BS, RAL and Jotun colours.

OTLINI EASYGLOSS ARA WHITE 750ML

Product Codes

JOTON EASTOLOSS ANA WHITE /JUIVIL	JIN-EOLO33-AVV-/30
JOTUN EASYGLOSS ARIES BLUE 750ML	JN-EGLOSS-AB-750
JOTUN EASYGLOSS CYGNUS BLUE	JN-EGLOSS-CB-750
750ML	
JOTUN EASYGLOSS DRACO RED 750ML	JN-EGLOSS-DR-750
JOTUN EASYGLOSS NORMA CREAM	JN-EGLOSS-NC-750
750ML	
JOTUN EASYGLOSS PYXIS BLACK 750ML	JN-EGLOSS-PB-750
JOTUN EASYGLOSS WHITE 750ml	JN-EGLOSS-WHT-750
JOTUN EASYGLOSS WHITE 2.5L	JN-EGLOSS-WHT-2.5
JOTUN EASY GLOSS AURIGA WHITE 2.5L	JN-EGLOSS-AG-2.5
JOTUN EASYGLOSS BASE 1 750ml	JN-EGLOSS-B1-750
JOTUN EASYGLOSS BASE 1 2.5L	JN-EGLOSS-B1-2.5
JOTUN EASYGLOSS BASE 2 750ml	JN-EGLOSS-B2-750
JOTUN EASYGLOSS BASE 2 2.5L	JN-EGLOSS-B2-2.5
JOTUN EASYGLOSS BASE 3 750ml	JN-EGLOSS-B3-750
JOTUN EASYGLOSS BASE 3 2.5L	JN-EGLOSS-B3-2.5

JOTUN XPRIMER



This is a two component polyamide cured epoxy coating. Designed as a fast drying, sandable finishing primer. For exterior and interior areas, above the waterline, including hulls, superstructure and decks. To be used as finishing primer under Jotun Yachting range of products. Suitable for properly prepared carbon steel, aluminium, composite and coated surfaces as epoxy and polyurethane systems.

JOTUN XPRIMER GREY COMPLETE KIT	JN-XPRIMER-GY-0.75
0.75L (4:1)	
JOTUN XPRIMER GREY COMP A 2L (4:1)	JN-XPRIMER-GY-A-2
JOTUN XPRIMER WHITE COMPLETE KIT	JN-XPRIMER-W-0.75
0.75L (4:1)	
JOTUN XPRIMER WHITE COMP A 2L (4:1)	JN-XPRIMER-W-A-2
JOTUN XPRIMER COMP B 0.5L (4:1)	JN-XPRIMER-B-0.5

JOTUN XTREME GLOSS

#JOTUN



This is a two component chemically curing acrylic polyurethane coating. It is an abrasion resistant high solids product. It has a high gloss finish with excellent gloss retention. To be used as topcoat in atmospheric environments. For exterior areas, including hull, above waterline and superstructure. The Jotun Xtreme Gloss paints can be tinted to many BS, RAL and Jotun colours.

Product Codes

Product Codes	
JOTUN XTREME GLOSS AURIGA WHITE	JN-XGLOSS-
COMP A 0.6L (4:1)	AW-A-0.6
JOTUN XTREME GLOSS AURIGA WHITE	JN-XGLOSS-
COMP A 2L (4:1)	AW-A-2
JOTUN XTREME GLOSS BASE 1 COMP A	JN-XGLOSS-
0.54L (4:1)	B1-A-0.54
JOTUN XTREME GLOSS BASE 1 COMP A 2L	JN-XGLOSS-
(4:1)	B1-A-2
JOTUN XTREME GLOSS BASE 2 COMP A	JN-XGLOSS-
2L (4:1)	B2-A-2
JOTUN XTREME GLOSS BASE 2 COMP A	JN-XGLOSS-
0.54L (4:1)	B2-A-0.54
JOTUN XTREME GLOSS BASE 3 COMP A	JN-XGLOSS-
0.54L (4:1)	B3-A-0.54
JOTUN XTREME GLOSS BASE 3 COMP A	JN-XGLOSS-
2L (4:1)	B3-A-2
JOTUN XTREME GLOSS BASE BLUE COMP	JN-XGLOSS-
A 0.54L (4:1)	BLUE-A-0.54
JOTUN XTREME GLOSS BASE BLUE COMP	JN-XGLOSS-
A 2L (4:1)	BLUE-A-2
JOTUN XTREME GLOSS LUPUS BLACK COMP	JN-XGLOSS-
A 0.6L (4:1)	LB-A-0.6
JOTUN XTREME GLOSS LUPUS BLACK COMP	JN-XGLOSS-
A 2L (4:1)	LB-A-2
JOTUN XTREME GLOSS COMP B 0.15L (4:1)	JN-
	XGLOSS-B-0.15
JOTUN XTREME GLOSS COMP B 0.5L (4:1)	JN-XGLOSS-B-0.5

JOTUN ANTIPEST EPOXY PRIMER



#JOTUN

A two-pack epoxy, suitable as a long exposure undercoat for epoxy and polyurethane systems and designed to prevent osmosis in fibreglass boats. It can be used both as primer for all types of substrates, including steel, fibre glass, aluminium and marine timber, and as intermediate adhesion undercoat, for polyurethane or antifoulings on top of epoxy primers. It is particularly suitable for cycles against osmosis, and provides a good anti-corrosive effect.

Product Codes

(4:1)

JOTUN ANTIPEST EPOXY PRIMER GREY COMP A

& B 0.75L (4:1)

JOTUN ANTIPEST EPOXY PRIMER GREY COMP

JN-AP-A-2

A 2L (4:1)

JOTUN ANTIPEST EPOXY PRIMER COMP B 0.51

JN-AP-B-0.5

JOTUN VINYL PRIMER SPRAY



#JOTUN

A quick drying, one-component modified vinyl primer pigmented with aluminium flakes for added water resistance. It is designed to be used on stern drives, sailboats drives and other high metal components below the waterline. Gives excellent adhesion to the substrate as well as Aqualine Spray.

Product Codes

JOTUN VINYL PRIMER SPRAY 0.4L JN-VPS-0.4

JOTUN VINYL PRIMER



₫JOTUN

A quick drying, one-component modified vinyl primer pigmented with aluminium flakes for added water resistance. It is designed to be used on stern drives, sailboats drives and other high metal components below the waterline. Gives excellent adhesion to the substrate as well as Aqualine Spray.

JOTUN VINYL PRIMER 750ml	JN-VP-750
JOTUN VINYL PRIMER 2.5L	JN-VP-2.5

Fillers

JOTUN FINISHING FILLER



#JOTUN

A high density hand applied two component epoxy filler that leaves a smooth and strong surface. Good resistance to water and solvents, has very strong cohesion / adhesion properties and is more flexible than most epoxy fillers. Sandability is good with an approximate Shore D hardness of 75. It has a much lower viscosity than Lightweight Filler. Suitable for above and below water application, when part of an approved Jotun system. Normally used to finish surfaces treated with Lightweight Filler, in preparation for sealing with a solvented epoxy coating.

Product Codes

JOTUN FINISHING FILLER 11

JN-F-FILLER-1

IOTUN LIGHTWEIGHT FILLER





Lightweight Filler is an ultralight weight two-component solvent free epoxy fairing compound/filler that can be applied at very high thickness. It has minimal shrinkage (approximately 0.2%), above-average flexibility and very strong adhesion. Sandability is excellent with an approximate Shore D hardness of 50. Suitable as part of an epoxy coating system on metal, GRP or wood substrates.

Product Codes

JOTUN LIGHTWEIGHT FILLER COMP A 2L (1:1)	JN-LWF-A-2
JOTUN LIGHTWEIGHT FILLER COMP B 2L (1:1)	JN-LWF-B-2

JOTUN MEGAFILLER MULTI

#JOTUN



A complete range of lightweight, smooth and multipurpose solvent free epoxy fairing compounds perfectly formulated for filling and fairing prior to applying topcoats. The popular Jotun MegaFiller Multi will not sag when applied on vertical surfaces up to 30mm, has excellent adhesion and cohesion properties and has a short dry time for sanding. MegaFiller Multi can also be used both above and below the waterline.

Product Codes

JOTUN MEGAFILLER MULTI COMP A 10L (1:1) JN-MFM-A-10 JOTUN MEGAFILLER MULTI COMP B 10L (1:1) JN-MFM-B-10

JOTUN MEGAFILLER SMOOTH





Megafiller Smooth is two pack solvent-free epoxy filler that leaves a very smooth surface. The product gives a hard film, but retains excellent sanding properties. It has a lower viscosity than Megafiller. Megafiller Smooth is suitable for above and below-water application. Normally used for refinishing surfaces treated with Megafiller, or to repair existing epoxy or polyurethane systems. Suitable as part of an epoxy coating system on metal. GRP or wood substrates.

JOTUN MEGAFILLER SMOOTH COMP A 2L (1:1)	JN-MFS-A-2
JOTUN MEGAFILLER SMOOTH COMP B 2L	JN-MFS-B-2

Primers

JOTUN MEGAPRIMER





This is a two component polyamide cured high molecular weight epoxy coating. Designed as a sandable, high build, all purpose coating. Can be used as primer or sealer for fillers in atmospheric and immersed environments. Suitable for properly prepared carbon steel, galvanised steel, shop primed steel, stainless steel, aluminium, composite and wood substrates. Typical use in exterior and interior areas, including hulls, above and below waterline, superstructures and decks. Suitable for osmosis prevention on composite hulls. To be used as a sealer on epoxy fillers and old polyurethane systems.

Product Codes

(4:1)

Product Codes	
JOTUN MEGAPRIMER EPOXY PRIMER COMP	JN-MPRIMER-
A GREY 4L (4:1)	G-A-4
JOTUN MEGAPRIMER EPOXY PRIMER COMP	JN-MPRIM-
A GREY 16L (4:1)	ER-A-16
JOTUN MEGAPRIMER EPOXY PRIMER COMP	JN-MPRIMER-
A WHITE 4L (4:1)	W-A-4
JOTUN MEGAPRIMER PRIMER COMP B 1L	JN-MPRIMER-B-1
(4:1)	
JOTUN MEGAPRIMER PRIMER COMP B 4L	

NEXT DAY DELIVERY AVAILABLE ON ORDERS PLACED BY 2PM!

JOTUN MEGAPRIMER LITE

#JOTUN



This is a two component polyamide cured epoxy coating. Designed as a fast drying, sandable finishing primer. Can be used as primer as a part of a complete system in atmospheric and immersed environments. Typical use in exterior and interior areas, including hulls, above and below waterline, superstructures and decks. To be used as finish primer under Megagloss range of products. Suitable for properly prepared carbon steel, stainless steel, aluminum, composite and coated surfaces as epoxy systems and polyurethane systems. Can be used as primer or sealer for fillers in atmospheric and immersed environments

JOTUN MEGAPRIMER LITE EPOXY PRIMER	JN-MPL-A-4
COMP A GREY 4L (4:1)	
JOTUN MEGAPRIMER LITE EPOXY PRIMER	JN-MPL-A-GY-16
COMP A GREY 16L (4:1)	
JOTUN MEGAPRIMER LITE EPOXY PRIMER	JN-MPL-A-W-4
COMP A WHITE 4L (4:1)	
JOTUN MEGAPRIMER LITE EPOXY PRIMER	JN-MPL-A-W-16
COMP A WHITE 16L (4:1)	
JOTUN MEGAPRIMER LITE EPOXY PRIMER	
COMP B 1L (4:1)	
JOTUN MEGAPRIMER LITE EPOXY PRIMER	JN-MPRIMER-B-4
COMP B 4L (4:1)	





MegaSealer is a two component, high build epoxy-vinyl primer/tie coat and is recommended as a tie coat/sealer between an epoxy coating and antifouling. It bonds excellently to fresh, uncured epoxy coatings or abraded fully cured epoxy coatings.

Product Codes

JOTUN MEGASEALER COMP A BUFF 3.75L	JN-MSEAL-
(5:1)	ER-A-3.75
JOTUN MEGASEALER COMP A BUFF 15L (5:1)	JN-MSEAL-
	ER-A-15
JOTUN MEGASEALER COMP B 0.75L (5:1)	JN-MSEAL-
	ER-B-0.75
IOTUN MEGASEALER COMP B BLIEF 3L (5:1)	IN-MSFALER-B-3

JOTUN MEGACOTE EPOXY PRIMER



Jotun MegaCote is a two component, fast curing, abrasion resistant, high solids epoxy anticorrosive coating. MegaCote is a multi-purpose epoxy primer for use on all areas internal, external, above and below the water line.

Product Codes

JOTUN MEGACOTE EPOXY PRIMER COMP A	JN-MCOTE-R-A-3
ALU/RED 3L (3:1)	
JOTUN MEGACOTE EPOXY PRIMER COMP A	JN-MCOTE-
ALU/RED 13.5L (3:1)	A-R-13.5
JOTUN MEGACOTE EPOXY PRIMER COMP A	JN-MCOTE-
OFF WHITE 3L (3:1)	W-A-3
JOTUN MEGACOTE EPOXY PRIMER COMP A	JN-MCOTE-
OFF WHITE 13.5L (3:1)	A-W-13.5
JOTUN MEGACOTE EPOXY PRIMER COMP	JN-MCOTE-B-1
B 1L (3:1)	
JOTUN MEGACOTE EPOXY PRIMER COMP	JN-MCOTE-B-4.5
B 4.5L (3:1)	

Top Coats

JOTUN MEGAGLOSS AC



#JOTUN

This is a high gloss, two component, high solids acrylic polyurethane topcoat with very good abrasion resistance and excellent gloss and colour retention. Specially formulated for easy application on top-class yachts and provides a finish that can be polished, if required. Recommended as a topcoat over an epoxy coating system where a durable high gloss finish is required in aggressive atmospheric exposure. Can be used on yachts and polished if polishing is unavoidable and required. The Jotun Megagloss AC paints can be tinted to many BS, RAL and Jotun colours.

Product Codes

JOTUN MEGAGLOSS AC BASE 1 COMP A 2L (4:1)	JN-MGLOS- SAC1-A-2
JOTUN MEGAGLOSS AC BASE 2 COMP A 2L	JN-MGLOS-
(4:1)	SAC2-A-2
JOTUN MEGAGLOSS AC BASE 3 CLEAR COMP	JN-MGLOS-
A 2L (4:1)	SAC3-A-2
JOTUN MEGAGLOSS AC BASE BLUE COMP	JN-MGLOSSAC-
A 2L (4:1)	BLUE-A-2
JOTUN MEGAGLOSS AC AURIGA WHITE 2L	JN-MGLOSSAC-
(4:1)	AW-2
JOTUN MEGAGLOSS AC COMP B 0.5L (4:1)	JN-MGLOS- SAC-B-0.5

JOTUN MEGAGLOSS HG



With outstanding abrasion resistance, excellent gloss and colour retention and very good flexibility, MegaGloss HG is specially formulated for the yacht owner seeking the perfect finish. MegaGloss HG meets the demands of both owners and applicators with an unrivaled mirror-like finish that will last and last in the most aggressive atmospheric conditions. The Jotun Megagloss HG paints can be tinted to many BS, RAL and Jotun colours.

Product Codes

JOTUN MEGAGLOSS HG BASE 1 COMP A	JN-
2.25L (1:1)	MGLOSS1-A-2.25
JOTUN MEGAGLOSS HG BASE 3 CLEAR	JN-
COMP A 2L (1:1)	MGLOSS3-A-2.25
JOTUN MEGAGLOSS HG BASE BLUE COMP	JN-MGLOSS-
A 2.25L (1:1)	BLUE-A-2.25
JOTUN MEGAGLOSS HG AURIGA WHITE	JN-MGLOSSHG-
2.25L	AW-2
JOTUN MEGAGLOSS HG SPRAY COMP B	JN-
2.25L (1:1)	MGLOSS-B-2.25

150





This is a two component polyamine cured epoxy mastic coating. It is a surface tolerant, high solids product. Specially designed for areas where optimum surface preparation is not possible or desired. Can be used as primer, a mid coat or as single coat system in atmospheric environments. Suitable for properly prepared carbon steel and aged coating surfaces. It can be applied at sub zero surface temperatures when used with the winter grade hardener. If exposed to sunlight chalking may occur. All JOTUN Marine products are for professional application only, not for resale or retail use. These products are not suitable for yachts or pleasure vessels!

Product Codes	
JOTUN JOTAMASTIC 80 COMP A ALUMIN-	JN-J80-A-AL-4
IUM 3.7L	_
JOTUN JOTAMASTIC 80 COMP A ALUMINI-	JN-J80-A-ART-4
UM RED TONE 3.7L	
JOTUN JOTAMASTIC 80 COMP A BLACK 4L	JN-J80-A-BK-4
JOTUN JOTAMASTIC 80 BLACK COMP A 16L	JN-J80-BL-A-16
JOTUN JOTAMASTIC 80 COMP A GREY 4L	JN-J80-A-GY-4
JOTUN JOTAMASTIC 80 GREY COMP A 16L	JN-J80-GY-A-16
JOTUN JOTAMASTIC 80 COMP A OFF	JN-J80-A-OW-4
WHITE 4L	_
JOTUN JOTAMASTIC 80 COMP A RED 4L	JN-J80-A-R-4
JOTUN JOTAMASTIC 80 WHITE COMP A 4L	JN-J80-W-A-4
JOTUN JOTAMASTIC 80 COMP B 0.6L (6:1)	JN-J80-B-0.6
JOTUN JOTAMASTIC 80 COMP B 2.3L (6:1)	JN-J80-B-2.3
JOTUN JOTAMASTIC 80 WINTERGRADE	JN-J80W-B-1
COMP B 1L (4:1)	
JOTUN JOTAMASTIC 80 WINTERGRADE	JN-J80W-B-4
COMP B 4L (4:1)	



AJOTUN

This is a two component, surface tolerant, abrasion resistant, high solids, polyamine cured epoxy mastic coating which may be applied in a wide range of film thicknesses. This product is part of a complete system which is certified not to spread flames. Recommended for use on steel where blast cleaning may not be possible and on hydrojetted surfaces still being moist. Gives excellent corrosion protection both in salt and fresh water. If exposed to sunlight chalking may occur. Jotun Jotamastic 90 can also be tinted. All JOTUN Marine products are for professional application only, not for resale or retail use. These products are not suitable for yachts or pleasure vessels!

Product Coc	les
-------------	-----

Product Codes	
JOTUN JOTAMASTIC 90 COMP A 3.5L	JN-J90-A-R-3.5
ALUMINIUM/RED	
JOTUN JOTAMASTIC 90 COMP A 15.6L	JN-J90-A-R-15.6
ALUMINIUM/RED	
JOTUN JOTAMASTIC 90 COMP A 3.5 BLACK	JN-J90-A-BK-3.5
JOTUN JOTAMASTIC 90 COMP A 15.6L	JN-J90-A-BK-15.6
BLACK	
JOTUN JOTAMASTIC 90 COMP A 15.6L	JN-J90-A-
SILVER / ALUMINIUM	SLV-15.6
JOTUN JOTAMASTIC 90 HARDENER COMP	JN-J90-B-1
B 1L (3.5:1)	
JOTUN JOTAMASTIC 90 HARDENER COMP	JN-J90-B-4.4
B 4.4L (3.5:1)	
JOTUN JOTAMASTIC 90 HARDENER COMP	JN-J90W-B-1
B WINTERGRADE 1L (3.5:1)	
JOTUN JOTAMASTIC 90 HARDENER COMP	JN-J90W-B-4.4
B WINTERGRADE 4.4L (3.5:1)	



AJOTUN

A one component oxidatively drying alkyd coating. Can be used as primer or mid coat in atmospheric environments. Suitable for properly prepared carbon steel, aluminium and wooden substrates. All JOTUN Marine products are for professional application only, not for resale or retail use. These products are not suitable for yachts or pleasure vessels!

JOTUN ALKYD PRIMER BLACK 5L	JN-ALKYD-BK-5
JOTUN ALKYD PRIMER GREY 5L	JN-ALKYD-G-5
JOTUN ALKYD PRIMER WHITE 5L	JN-ALKYD-W-5

JOTUN PILOT QD PRIMER



JOTUN

Pilot QD Primer can be applied to steel, aluminium or wood, and features very good adhesion properties on all these substrates. Expect a fast drying, easy to apply primer with good anticorrosive properties. All JOTUN Marine products are for professional application only, not for resale or retail use.

Product Codes

JOTUN PILOT Q	D PRIMER LIGHT GREY	5L JN-PQD-5GY
JOTUN PILOT Q	D PRIMER GREY 20L	JN-PQD-GY

JOTUN MUKI EPS



Jotun Muki EPS is a two component chemically curing epoxy coating. It is a shop primer designed for high welding and cutting speed, giving reduced weld porosity and back burning. It is fast drying making it suitable for stacking shortly after application. Can be used as temporary primer in a new construction phase, as holding primer or as primer in a complete coating system in atmospheric and immersed environments. Suitable for properly prepared carbon steel substrates and recommended to be applied in an automated shop priming line in lower film thicknesses or applied by airless spray when used as holding primer. Compatible with advanced welding technologies including MIG, MAG and G-FCAW when applied in low film thickness. All JOTUN Marine products are for professional application only, not for resale or retail use.

Product Codes

JOTUN MUKI EPS RED COMP A 18L	JN-MUKI-EPS-R-A-18
JOTUN MUKI EPS COMP B 0.5L	JN-MUKI-EPS-B-0.5

JOTUN PENGUARD EXPRESS



This is a two component amine cured epoxy coating. It is a fast drying, high solids, high build product. Specially designed for new construction where short dry to handle and over coating times are required. Can be used as primer, mid coat, finish coat or as single coat system in atmospheric environments. Suitable for properly prepared carbon steel, aluminium, concrete and galvanised steel substrates. It can be applied at sub zero surface temperatures.

Product Codes

JOTUN PENGUARD EXPRESS COMP A GREY JN-PGEX-A-GY-4 4L (4:1)

JOTUN PENGUARD EXPRESS COMP B 1L JN-PGEX-B-1

JOTUN PENGUARD HB



This is a two component, polyamide cured, high molecular weight epoxy coating. Designed as a primer for new construction. Can be used as primer as a part of a complete system in atmospheric and immersed environments. Suitable for properly prepared carbon steel, stainless steel, aluminium, concrete, galvanised steel, shop primed steel and thermally sprayed zinc substrates. Suitable for structural steel and piping to be exposed to corrosive environments up to very high and immersed. Recommended for offshore environments, refineries, power plants, bridges, buildings and mining equipment. All JOTUN Marine products are for professional application only, not for resale or retail use. These products are not suitable for yachts or pleasure vessels!

JOTUN PENGUARD HB GREY COMP A 4L	JN-PGHB-A-4
JOTUN PENGUARD HB COMP A GREY 16L	JN-PGHB-G-A-16
JOTUN PENGUARD HB WHITE COMP A 4L	JN-PGHB-W-A-4
JOTUN PENGUARD HB WHITE COMP A 16L	JN-PGHB-
	W-A-16
JOTUN PENGUARD COMP B 1L	JN-PG-B-1
JOTUN PENGUARD COMP B 4L	JN-PG-B-4

JOTUN PENGUARD



#JOTUN

This is a two component, polyamide cured, high molecular weight epoxy coating. Designed as a primer for new construction. Can be used as primer as a part of a complete system in atmospheric and immersed environments. Suitable for properly prepared carbon steel, stainless steel, aluminium, concrete, galvanised steel, shop primed steel and thermally sprayed zinc substrates. Suitable for structural steel and piping to be exposed to corrosive environments up to very high and immersed. Recommended for offshore environments, refineries, power plants, bridges, buildings and mining equipment. All JOTUN Marine products are for professional application only, not for resale or retail use. These products are not suitable for yachts or pleasure yessels!

Product Codes

JOTUN PENGUARD CLEAR SEALER COMP A 4L	JN-PGCV-A-4
JOTUN PENGUARD CLEAR SEALER COMP A 16L	JN-PGCV-A-16
JOTUN PENGUARD PRIMER COMP A GREY 4L (4:1)	JN-PG-A-GY-4
JOTUN PENGUARD PRIMER COMP A GREY 16L (4:1)	JN-PG-A-GY-16
JOTUN PENGUARD COMP B 1L	JN-PG-B-1
JOTUN PENGUARD COMP B 4L	JN-PG-B-4

JOTUN PENGUARD HB



#JOTUN

This is a two component, polyamide cured, high molecular weight epoxy coating. Designed as a primer for new construction. Can be used as primer as a part of a complete system in atmospheric and immersed environments. Suitable for properly prepared carbon steel, stainless steel, aluminium, concrete, galvanised steel, shop primed steel and thermally sprayed zinc substrates. Suitable for structural steel and piping to be exposed to corrosive environments up to very high and immersed. Recommended for offshore environments, refineries, power plants, bridges, buildings and mining equipment. All JOTUN Marine products are for professional application only, not for resale or retail use. These products are not suitable for yachts or pleasure vessels!

Product Codes

JOTUN VINYGUARD 88 PRIMER ALUMINIUM	JN-VG88-A-R-5
RED TONE 5L	
JOTUN VINYGUARD 88 PRIMER SILVER/	JN-VG88-GY-5
GREY 5L	
JOTUN VINYGUARD 88 PRIMER SILVER/	JN-VG88-GY-20
GREY 201	

OTUN PILOT II



#JOTUN

Easy-to-use topcoat. Pilot II is a conventional one component alkyd topcoat with excellent gloss properties and a wide colour selection. Good wetting properties makes Pilot II tolerant to most surfaces. The Jotun Pilot paints can be tinted to many BS, RAL and Jotun colours. All JOTUN Marine products are for professional application only, not for resale or retail use. These products are not suitable for yachts or pleasure vessels!

Product Codes

JOTUN PILOT II BASE 1 5L	JN-PII1-5
JOTUN PILOT II BASE 2 5L	JN-PII2-5
JOTUN PILOT II BASE 2 20L	JN-PII2-20
JOTUN PILOT II BASE 3 5L	JN-PII3-5
JOTUN PILOT II BASE ORANGE 5L	JN-PIIO-5
JOTUN PILOT II BASE YELLOW 5L	JN-PIIY-5

JOTUN HARDTOP XP



#JOTUN

JN-HTXP-B-0.5

A two-pack high solid, aliphatic PU topcoat with excellent gloss and colour retention. For use as a glossy top coat over most epoxy systems where a durable, weather resistant finish is required in a wide range of aggressive atmospheres. The Jotun Hardtop paints can be tinted to many BS, RAL and Jotun colours. All JOTUN Marine products are for professional application only, not for resale or retail use. These products are not suitable for yachts or pleasure vessels!

Product Codes

Product Codes	
JOTUN HARDTOP XP BASE 1 COMP A 4.55L	JN-HTXP1-A-4.5
(10:1)	
JOTUN HARDTOP XP BASE 2 COMP A 4.55L	JN-H1XP2-A-4.5
(10:1)	
JOTUN HARDTOP XP BASE 3 COMP A 4.55L	JN-HTXP3-A-4.5
(10:1)	
JOTUN HARDTOP XP BASE 5 COMP A 4.1L	JN-HTXP5-A-4.1
(10:1)	
JOTUN HARDTOP XP BASE 6 COMP A 4.1L	JN-HTXP6-A-4.1
(10:1)	
JOTUN HARD TOP XP BLACK COMP A 4.551	

JOTUN HARDTOP XP COMP B 0.45L (10:1)

JOTUN HARDTOP AX



JOTUN Hardtop AX is is a two component chemically curing aliphatic acrylic polyurethane coating. It has a high gloss finish with very good gloss retention. It has good chemical resistance. It is a high solids product. To be used as topcoat in atmospheric environments. Recommended for topside, deck and superstructure. Recommended for offshore environments, refineries, power plants, bridges and buildings. Suitable for a wide range of industrial structures. The Jotun Hardtop paints can be tinted to many BS, RAL and Jotun colours. All JOTUN Marine products are for professional application only, not for resale or retail use. These products are not suitable for yachts or pleasure vessels!

Product Codes

JN-HTAX1-4
JN-HTAX1-16
JN-HTAX2-4
JN-HTAX2-16
JN-HTAX3-4
JN-HTAX5-4
JN-HTAX6-4
JN-HTAX-B-1
JN-HTAX-B-4

JOIUN HARDIOP HB



This is a two component chemically curing aliphatic acrylic polyurethane coating. It has a matt finish with very good gloss retention. It is a high build product. To be used as top-coat in atmospheric environments. The Jotun Hardtop paints can be tinted to many BS, RAL and Jotun colours. All JOTUN Marine products are for professional application only, not for resale or retail use.

Product Codes

JOTUN HARDTOP HB BASE 1 COMP A 4L	JN-HTHB1-A-4
JOTUN HARDTOP HB BASE 2 COMP A 4L	JN-HTHB2-A-4
JOTUN HARDTOP HB BASE 3 COMPA 4L	JN-HTHB3-A-4
JOTUN HARDTOP HB COMP B 1L	JN-HTAS-B1

Antiskid

JOTUN ANTISKID



#JOTUN

JOTUN Anti-Skid is aluminium oxide grains, intended to be spread into the last coat in a non-skid system. Available in extra coarse, coarse, medium and fine particle sizes. For use on decks, floors, gangways and other areas where additional friction properties are required. The spreading is to take place in the wet film during application. Recommended quantity: Fine particle size (180 - 250 µm) for coatings applied in 50 to 150 µm DFT, such as topcoats. The recommended usage is 1,5 - 2,0 kg per 10 litres of paint. Medium particle size (400 - 600 µm) for coatings applied in 150 to 400 µm DFT, such as Jotamastic products and thick film topcoats. The recommended usage is 2,5 - 3,3 kg per 10 litres of paint. Coarse particle size (700 - 1000 µm) for coatings applied in 400 to 1500 µm DFT, such as Baltoflake products. The recommended usage is 3,0 - 4,0 kg per 10 litres of paint. All JOTUN Marine products are for professional application only, not for resale or retail use. These products are not suitable for vachts or pleasure vessels!

Product Codes

JOTUN ANTISKID FINE 3KG	JN-AS-F-3
JOTUN ANTISKID MEDIUM 3KG	JN-AS-M-3
JOTUN ANTISKID COARSE 3KG	JN-AS-C-3

JOTUN SEAFORCE 30



#JOTUN

This is a one component acrylic, hydrolysing antifouling coating based on ion exchange technology. It provides good fouling protection. This is achieved through self polishing characteristics reducing hull deterioration. To be used as finish coat in immersed environments only. Suitable on approved primers and tie coats on aluminium and carbon steel substrates. It can be applied at sub zero surface temperatures. Recommended for under water hull in newbuilding and drydocking. Designed for vessels trading at a wide range of speed and activity. The product can be used for long service periods up to 60 months as a part of a complete coating system. Can be used for offshore constructions and outside hull for static installations in deep sea.

JOTUN SEAFORCE 30 BLACK 5L	JN-SF30-BK-5
JOTUN SEAFORCE 30 BLACK 20L	JN-SF30-BK-20
JOTUN SEAFORCE 30 BLUE 5L	JN-SF30-BL-5
JOTUN SEAFORCE 30 DARK RED 5L	JN-SF30-DR-5
JOTUN SEAFORCE 30 LIGHT RED 5L	JN-SF30-LR-5
JOTUN SEAFORCE 30 LIGHT RED 20L	JN-SF30-LR-20

Additives

JOTUN PENGUARD LOW TEMP ADDITIVE



6 JOTUN

JOTUN Penguard low temperature additive is an additive for improved low temperature curing of the following products: Penguard HB, Penguard Primer. Add 2 % (0.4 litre) to a 20 litre mixed. JOTUN Penguard low temperature additive is an additive is recommended when a faster curing or painting at lower substrate temperatures is desired. All JOTUN Marine products are for professional application only, not for resale or retail use.

Product Codes

JOTUN PENGUARD LOW TEMP ADDITIVE 400ML JN-PGLTA-400

JOTUN THINNERS No.2



₫JOTUN

Thinners No.2 is a general use thinner for most conventional alkyd or oil based paints. Thinners No. 2 is the solvent base for Pilot II.

Product Codes

1 Todaci Codes		
JOTUN THINNERS No.2 1L	JN-TH2-1	
IOTUN THINNERS No. 2 5I	IN-TH2-5	

IOTHN THINNERS No. 7



#JOTUN

This is a paint thinner. Designed to improve the flow of a range of Jotun acrylic, vinyl and antifouling coatings. Can also be used as cleaner for pumps and tools before and after painting. Recommended usage as per the specific datasheet or application guide of the product one wish to apply.

Product Codes

JOTUN THINNERS No: 7 FOR ANTIFOULINGS & VINYLS JN-TH7-1 JOTUN THINNERS No: 7 FOR ANTIFOULINGS & VINYLS JN-TH7-5

OTUN THINNERS NO.10



4JOTUN

Solvent thinner. Thinner for polyurethane or similar paint products.

Product Codes

JOTUN THINNERS NO. 10. 5L

JN-TH10-5

JOTUN THINNERS No. 12



#JOTUN

A high quality solvent with a slow rate of evaporation. Generally, for improving the flow and levelling properties of MegaGloss products by slowing solvent evaporation/drying. Particularly suitable for brushing/rolling MegaGloss. May be blended with Thinners No. 18 and used when spraying MegaGloss in hot conditions.

Product Codes

JOTUN THINNERS No: 12 FOR P.U. SLOW EVAPO- JN-TH12-1

JOTUN THINNERS No.17



#JOTUN

Thinners No.17 is a solvent thinner. Recommended thinner for epoxies and similar paint products. Thinners No 17 is the solvent base for Jotamastic. This thinners can also be used with the MegaPrimer, MegaCote and AntiPest Primers.

JOTUN THINNERS No: 17 FOR EPOXY COATINGS	JN-TH17-1
JOTUN THINNERS No: 17 FOR EPOXY COATINGS	JN-TH17-5
IOTLINITHININERS No. 17 FOR EPOXY COATINGS	INI-TH17-2∩



OWATROL DEKS OLJE D1

Deks Olje System



()WATROL



A high quality solvent with a medium rate of evaporation. For improving flow and levelling properties when spraying Megagloss in average/moderate temperature conditions.

Product Codes

JOTUN THINNERS No: 18 FOR P.U. MEDIUM	JN-TH18-1
EVAPORATION	

JOTUN THINNERS No: 18 FOR P.U. MEDIUM **FVAPORATION**

JN-TH18-5

** JOTUN**



JOTUN

A high quality solvent with a fast rate of evaporation. Use for improving flow and levelling properties when spraying Megagloss in cold temperatures. May be blended with Thinners No. 18 when spraying in more moderate conditions. Thinners No. 19 is not suitable for brush/roller applications.

Product Codes

JOTUN THINNERS No: 19 FOR P.U. FAST EVAPO-	JN-TH19-1
RATION	
LOTUNITUDINEDCAL, JOEON DILLEACTEVADO	IN 1 TI 170 F

JOTUN THINNERS No: 19 FOR P.U. FAST EVAPO-JN-TH19-5 RATION

OWATROL Deks Olje D1 is a uniquely penetrating wood oil that is high in solids and is able to get deep into the grain of woods where it dries, stays and sets. Used on its own OWA-TROL Deks Olje D1 needs occasional topping up of the surface as UV light and water wear it out. Deks Olje D2, or other UV varnishes, can be directly applied on top of OWATROL Deks Olje D1 to create a long lasting deep gloss finish.

Product Codes

DEKS OLJE D1 1L	GN-D1-1
DEKS OLJE D1 2.5L	GN-D1-2.5
DEKS OLJE D1 20L	GN-D1-20

OWATROL DEKS OLJE D2



OWATROL Deks Olje D2 is a high gloss varnish-like flexible finish which gives all types of woods a deep rich shine. OWA-TROL Deks Olje D2 is applied to woods which are already fully saturated with D1, the two combine to give a long lasting finish.

DEKS OLJE D2 1L	GN-D2-1
DEKS OLJE D2 2.5L	GN-D2-2.5
DEKS OLJE D2 20L	GN-D2-20

Oils

OWATROL MARINE OIL





Marine Oil is a versatile, highly penetrating air drying oil that can be used alone or added to paint. Used alone it provides a tough, flexible finish, driving out excess moisture and air; displacing it from rusted metal, so stopping rust. Used alone on porous wood surfaces it will saturate and protect the wood from damage caused by moisture and prevent paint from peeling. Added to any oil or alkyd based coatings Marine Oil will give increased wet edge time, improved flow ability, greater adhesion and unlike damaging thinners, will maintain the inherent quality of the paint without affecting its appearance or drying times.

Product Codes

OWATROL MARINE OIL 500ML	GN-OWAT-500ML
OWATROL MARINE OIL 1L	GN-OWAT-1L
OWATROL MARINE OIL 5L	GN-OWAT-5L
OWATROL MARINE OIL 20L	GN-OWATROL-20

Paint Remover

OWATROL MARINE STRIP







OWATROL Dilunett Paint Remover, solvent free, can remove up to 10 coats in just one application, removing everything from antifoulings to varnishes and most gloss paint systems. Easy to apply, OWATROL Dilunett Paint Remover is a gel which can be applied to vertical surfaces without sagging. To use, simply brush on the OWATROL Dilunett Paint Remover and leave until the surface turns dark brown then remove.

Product Codes

MARINE STRIP 1L	GN-DIL-1
MARINE STRIP 2.5L	GN-DIL-2.5

Wood Cleaners

OWATROL DECK CLEANER





Deck Cleaner is a powerful cleaner and brightener that removes ground in and surface dirt while restoring a bright. vibrant look to fibreglass and grev, weather-beaten marine wood such as teak and mahogany that is unfinished, to its natural colour without bleaching. Unlike bleach or chlorine based cleaners, Deck Cleaner will not damage the woods fibres. Deck Cleaner is fast acting and can restore the original colour of your wood surface in as little as 20 minutes with no laborious and backbreaking sanding! It is safe to use on all wood species including teak, iroko, mahogany, oak, larch and pine and is also an excellent degreaser for use on tropical hardwoods to allow finishes like Deks Olie D1 to penetrate. Deck Cleaner can remove rust stains and will also neutralise wood surfaces which have been stripped with a stripping product such as OWATROL Marine Strip, leaving the surface ready for applying your chosen finish. Deck Cleaner can also be used to restore the lustre to faded plastics and fiberglass dulled by weathering and UV rays.

C	WATROL DECK CLEANER 1L	GN-NET-1
C	WATROL DECK CLEANER 2.5	GN-NET-2.5
C	WATROL DECK CLEANER 15L	GN-NET-15



EPIFANES PU PRIMER



ES-PUP-GY-0.75

LC DI ID CAN V 3 V

ES-PUP-B-0.6



Two component semi gloss polyurethane primer/ undercoat. Provides smooth pinhole free surface prior to topcoating with high gloss Epifanes polyurethane topcoat. Quick drying, medium filling and excellent sandibility. Provides a perfect flow and easy application by brush, roller or spray. GRP - Suitable as filling undercoat for interior and exterior on bare fibreglass. Also for use on existing polyurethane based finishes or on epoxy based systems above the waterline for fresh and salt water. Additional colours are available upon request, please contact the office for more information.

Product Codes

PLETE KIT

A 24KG

EPIFAINES PU PRIIVIER GRET COIVIP A 2.4NG	E3-PUP-G1-A-2.4
EPIFANES PU PRIMER WHITE 0.75KG COM-	ES-PUP-WH-0.75
PLETE KIT	
EPIFANES PU PRIMER WHITE COMP A 2.4KG	ES-PUP-WH-A-2.4
EPIFANES PU PRIMER TINTING BASE 0.75KG	ES-PUP-TB-0.75
COMPLETE KIT	
EPIFANIES PLI PRIMER TINTING BASE COMP	FS-PI IP-TR-A-2.4



EPIFANES PU PRIMER GREY 0.75KG COM-

EDITANIES DI LODINAED COEV CONAD A 2 AVC

EPIFANES PU PRIMER COMP B 0.6KG



EPIFANES

Anti-corrosive two-component primer with excellent adhesion on various surfaces. High filling, quick building and easy to sand. For use with GPR, Steel, Plywood, Aluminium. Bonding and filling primer for interior and exterior use above and below the waterline. Also for maintenance of existing epoxy systems.

Product Codes

EPIFANES EPOXY PRIMER WHITE COMP A	ES-EP-WH-A-1.6
1.6KG	
EPIFANES EPOXY PRIMER COMP B 0.4KG	ES-EP-B-0.4
EPIFANES EPOXY PRIMER WHITE COMP A	ES-EP-WH-A-3.2
3.2KG	
EPIFANES EPOXY PRIMER COMP B 0.8KG	ES-EP-B-0.8

EPIFANES MULTICOVER EPOXY PRIMER



Very good corrosion protecting, universal 2 component epoxy primer (all-in-one) as premier coat on steel, as filling epoxy sealer and as repair primer for existing colour systems. Only suited for surfaces above the waterline. Outstanding bonding also on galvanized and non-ferrous surfaces, as well as on plywood and GRP. Very good filling and guickly drying characteristics even at low temperatures.

	Product Codes	
i	EPIFANES MULTICOVER EPOXY PRIMER	ES-MC-GY-0.75
į	GREY 7.5KG COMPLETE KIT	
į	EPIFANES MULTICOVER EPOXY PRIMER	ES-MC-GY-A-3.2
i	GREY COMP A 3.2KG	
i	EPIFANES MULTICOVER EPOXY PRIMER	ES-MC-B-0.8
	COMP B O 8KG	

EPIFANES PU GLOSS COMPLETE KIT





A high gloss two-component yacht paint with excellent outdoor durability and weather resistance. Scratch resistant and very long gloss retention. Provides a perfect flow and easy application by brush, roller or spray. Field of Application: GPR, Steel, Wood, Aluminium. Suited for topcoating two-component primer systems above the waterline. Also suited for epoxy resin treated surfaces. Can be applied directly on thoroughly degreased and sanded fibreglass. Intermediate coat on epoxy resins or epoxy paints prior to the application of traditional one-component paints. Additional colours are available on request, please contact the office for more information.

Product Codes

Product Codes
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUG-800-0.75
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUG-800-A-3
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUG-801-0.75
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUG-803-0.75
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUG-804-0.75
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUG-805-0.75
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUG-811-0.75
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUG-814-0.75
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUG-821-0.75
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUG-826-0.75
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUG-831-0.75
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUG-839-0.75
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUG-841-0.75
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUG-842-0.75
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUG-845-0.75
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUG-848-0.75
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUG-850-0.75
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUG-852-0.75
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUG-853-0.75
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUG-854-0.75
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUG-855-0.75
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUG-856-0.75
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUG-859-0.75
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUG-875-0.75
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUG-879-0.75
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUG-CL-0.75
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUG-CL-A-2
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUS-CL-0.75
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUG-TBC-A-0.5
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUG-TBC-A-2
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUG-TBW-A-0.5
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUG-TBW-A-2
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUS-TBC-A-0.5
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUS-TBC-A-2
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUS-TBW-A-0.5
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PUS-TBW-A-2
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PU-B-0.25
EPIFANES PU GLOSS COMPLETE KIT 0.75KG ES-PU-B-1

EPIFANES NON-SKID BEADS



EPIFANES &

Nonskid Beads for addition to Epifanes Mono-urethane or Epifanes Poly-urethane Yacht Coating to create a custom made color in nonskid. Stir in gradually, allow 15 minutes and stir once more.

Product Codes

EPIFANES NON-SKID BEADS 20g

ES-NSB-20G

EPIFANES PU SPRAY THINNERS



EPIFANES

A slow evaporating thinner for spraying Epifanes Poly-ure-thane Yacht coatings.

Product Codes

EPIFANES PU SPRAY THINNERS 1L	ES-TH-PU-SP-1
EPIFANES PU SPRAY THINNERS 5L	ES-TH-PU-SP-5

EPIFANES PU BRUSH THINNERS



EPIFANES

A slow evaporating thinner for brushing and rolling Epifanes Poly-urethane Yacht coatings.

EPIFANES PU BRUSH THINNERS 0.5L	ES-TH-PU-BR-0.5
EPIFANES PU BRUSH THINNERS 1L	ES-TH-PU-BR-1
EPIFANES PU BRUSH THINNERS 5L	ES-TH-PU-BR-5
EPIFANES PU BRUSH THINNERS 1L	ES-TH-D601-1

160

EPIFANES PU SLOW REDUCER



EPIFANES

A special slow evaporating thinner for Epifanes Poly-ure-thane Finishes.

Product Codes

EPIFANES PU SLOW REDUCER 1L

ES-TH-PU-SR-1

BRAVA YACHT & BOAT VARNISH





BRAVA VG64 Yacht & Boat Varnish is a classic high gloss, flexible, single component varnish. BRAVA VG64 Yacht & Boat Varnish is linseed oil based. BRAVA VG64 Yacht & Boat Varnish is ideal for varnishing high quality woods used in the marine environment.

Product Codes

BRAVA YACHT & BOAT VARNISH 750ml

BR-VG64-1000

BRAVA VG66 PREMIUM GLOSS YACHT VARNISH



BRAVA VG66 Premium Gloss Varnish is high gloss oil based marine varnish. BRAVA VG66 Premium Gloss Varnish has U.V filters, is extremely elastic, durable and protective. BRAVA VG66 Premium Gloss Varnish is ideal for varnishing high quality woods used in the marine environment.

Product Codes

BRAVA VG66 PREMIUM GLOSS YACHT VARNISH 750ml BR-VG66-750

BRAVA ROYAL TRANSPARENTE 2K PU CLEAR VARNISH





A two pack polyurethane varnish, with high gloss retention and good resistance to the marine environment.

Product Codes

BRAVA ROYAL TRANSPARENTE 2K PU CLEAR BR-ROYALT-1000 VARNISH 750ml

BRAVA VG62 PU CLEAR VARNISH





BRAVA VG62 Gloss Varnish is a clear yacht varnish. BRAVA VG62 Gloss Varnish is oil and polyurethane based. BRAVA VG62 Gloss Varnish is ideal for the painter who desires a faster dying and a harder film than the VG63 Varnish.

Product Codes

BRAVA VG62 PU CLEAR GLOSS VARNISH 1L BR-VG62-1000 BRAVA VG62 PU CLEAR SATIN VARNISH 1L BR-VG62S-1000

BRAVA VG63 TRADITIONAL VARNISH





BRAVA VG63 Traditional Varnish is a Tung oil based clear varnish. BRAVA VG63 Traditional Varnish is very elastic and penetrating and doesn*crack. BRAVA VG63 Traditional Varnish contains UV Filters.

Product Codes

BRAVA VG63 TRADITIONAL GLOSS VARNISH 1L BR-VG63-1000 BRAVA VG63 TRADITIONAL SATIN VARNISH 1L BR-VG63S-1000

BRAVA VG61 DEFENDER CLEAR WOOD PRIMER





Tung and linseed oil wood primer for exterior wood. It forms a long lasting waterproof barrier.

Product Codes

BRAVA VG61 DEFENDER CLEAR WOOD PRIMER 1000ml BR-VG61-1000

BRAVA IMPREGNANTE WOOD PRIMER





A wood primer specifically formulated to give protection to all exterior or interior woods. Penetrating deep into the wood, it forms lasting barrier, providing the ideal base.

Product Codes

BRAVA IMPREGNANTE WOOD PRIMER BR-IMPREG-750CL CLEAR 750MI

BRAVA IMPREGNANTE WOOD PRIMER BR-IMPREG-750MA MAHOGANY 750ML

Primers

ALEXSEAL SUPER BUILD 302





ALEXSEAL Super Build 302 is an epoxy-based high build primer / surfacer which cures into a smooth easy to sand, water resistant coating. ALEXSEAL Super Build 302 has excellent spray characteristics and is fast drying to allow maximum efficiency while fairing. The cured film offers excellent mechanical resistance values. ALEXSEAL Super Build 302 is used to seal ALEXSEAL Fairing Compound 202 and to even out imperfections remaining after the filling and sanding process. It also is designed to be used as a smooth, non-porous surfacer prior to the application of ALEXSEAL Finish Primer 442.

Product Codes

ALEXSEAL SUPER BUILD 302 EPOXY PRIMER MZ-P3002-G WHITE U.S. GALLON

ALEXSEAL SUPER BUILD 302 PRIMER WHITE MZ-P3002-QRT QUART

ALEXSEAL SUPER BUILD 302 EPOXY PRIMER MZ-C3052-G CONVERTER U.S. GALLON

ALEXSEAL SUPER BUILD 302 PRIMER CON- MZ-C3052-QRT VERTOR QUART



ALEXSEAL FINISHING PRIMER 442



ALEXSEAL® Yacht Coatings

ALEXSEAL Finish Primer 442 is an epoxy-based finish primer offering advanced adhesion qualities over various substrates, exceptional sanding characteristics, and good film build. The products special characteristics ensure a reduction of cleaning and maintenance, while at the same time preserving the yachts appearance and value. ALEXSEAL Finish Primer 442 is designed to prime and seal old and new, properly prepared, stable surfaces such as gelcoat and filberglass, as well as to seal other ALEXSEAL primers and filler systems. Using this primer as a base enhances the Wet Look of ALEXSEALS. Topcoats. Finish Primer 442 may be used above and below the waterline

Product Codes

U.S. GALLON

ALEXSEAL FINISHING PRIMER 442 WHITE U.S.	MZ-P4420-G
GALLON	
ALEXSEAL FINISHING PRIMER 442 WHITE	MZ-P4420-QRT
QUART	
ALEXSEAL FINISHING PRIMER 442 DARK GREY	MZ-P4423-G

ALEXSEAL FINISHING PRIMER 442 DARK GREY MZ-P4423-QRT

ALEXSEAL FINISHING PRIMER 442 CONVERTER MZ-C4427-G

ALEXSEAL FINISHING PRIMER 442 CONVERTER MZ-C4427-QRT QUART

ALEXSEAL FAST SPOT PRIMER 414





ALEXSEAL Fast Spot Primer 414 is an acrylic/epoxy-based fast dry and overcoat spot in finish primer with quick dry to sand characteristics. ALEXSEAL Fast Spot Primer 414 is designed to spot prime a finished primed surface where break through areas have occurred to seal exposed under lying products.

Product Codes

ALEXSEAL FAST SPOT PRIMER 414 DARK GREY MZ-P4143-QRT QUART

ALEXSEAL FAST SPOT PRIMER 414 SAND QUART MZ-P4145-QRT ALEXSEAL FAST SPOT PRIMER 414 CONVERTER MZ-C4147-QRT QUART

Fillers

ALEXSEAL FAIRING FILLER 202





ALEXSEAL Fairing Compound 202 is a solvent-free, epoxy-based, light-weight filler, which provides the ideal product for yachts that require filling and fairing. ALEXSEAL Fairing Compound 202 has excellent application, sanding and anti-sagging properties. It is designed to be easy to mix and apply, while the cured film provides an excellent surface for re-coating with other ALEXSEAL Yacht Coating products.

Product Codes

i loddel codes	
ALEXSEAL FAIRING FILLER 202 FAST CON-	MZ-C2017-0.5G
VERTER RED 0.5 US GALLON	
ALEXSEAL FAIRING FILLER 202 FAST CON-	MZ-C2017-2G
VERTER RED 2 U.S. GALLON	
ALEXSEAL FAIRING FILLER 202 LOW VIS	MZ-C2028-
CONVERTER 0.5 QUART	0.5QRT
ALEXSEAL FAIRING FILLER 202 LOW VIS	MZ-C2028-2G
CONVERTER 2 U.S GALLON	
ALEXSEAL FAIRING FILLER 202 CONVERTER	MZ-C2075-
GREY 0.5 QUART	0.5QRT
ALEXSEAL FAIRING FILLER 202 CONVERTER	MZ-C2075-2G
GREY 2 U.S. GALLON	
ALEXSEAL FAIRING FILLER 202 THICK BASE	MZ-P2083-
WHITE 0.5 QUART	0.5QRT
ALEXSEAL FAIRING FILLER 202 THICK BASE	MZ-P2083-2G
WHITE 0.5 U.S GALLON	
ALEXSEAL FAIRING FILLER 202 BASE WHITE 2	M7-P2094-2G

ALEXSEAL FAIRING FILLER 202 BASE WHITE 2 MZ-P2094-2G U.S. GALLON

ALEXSEAL SPRAY FAIR 328





ALEXSEAL Spray Fair 328 is an epoxy-based, sprayable filler surfacer, which provides the ideal product for yachts that require filling and fairing. ALEXSEAL Spray Fair 328 has excellent application, sanding and anti-sagging properties. It is designed to be easy to mix and apply, while the cured film provides an excellent surface for recoating with other ALEXSEAL products. ALEXSEAL Spray Fair 328 is used for fairing all appropriately prepared surfaces and can be used for surfaces above the waterline only.

Product Codes

ALEXSEAL SPRAY FAIR 328 CONVERTOR YELLOW MZ-C3287-G U.S GALLON

ALEXSEAL SPRAY FAIR 328 FILLER TAN U.G GALLON MZ-P3280-G

ALEXSEAL

Metalic Top Coats

ALEXSEAL METALLIC BASE



The ALEXSEAL Metallic System offers discerning yacht owners a more durable and luxurious alternative to the less than ideal automotive finishes often used in the marine market. The ALEXSEAL Metallic System provides a brilliant metallic effect, great distinction of image, and long-term UV resistance. Equally as impressive is the ease of application which translates into less time and expense involved with the application of your yachts ever-important first and lasting impressions. In addition, an aliphatic polyester polyurethane clear coat works in unison to provide the scratch and stain resistance that yachts require. This clear coat advantage is why The ALEXSEAL Metallic System performs like a single stage aliphatic polyester polyurethane while providing a superior metallic appearance. ALEXSEAL Metallic Base Coat has been designed specifically to withstand the harsh marine environment. It is formulated with a two-component basecoat that provides superior inter-coat adhesion and reduces the possibility of mottling or unevenness in the finish. In addition a two-component aliphatic polyester polyurethane is used for the final clear finish. This gives the ALEXSEAL Metallic System unsurpassed scratch and stain resistance while preventing discoloration of the clear coat.ALEXSEAL Metallic Base Coat is intended to be part of a base coat/clear coat finish combined with ALEXSEAL Premium Topcoat 501, T0125 Clear Gloss for the application of a metallic finish. It can be used internally or externally

	uct	

Product Codes	
ALEXSEAL METALLIC BASE SAHARA GOLD U.S.GALLON	MZ-M1918-G
ALEXSEAL METALLIC BASE SAHARA GOLD QUART	MZ-M1918-QRT
ALEXSEAL METALLIC BASE GOLD RUSH U.S. GALLON	MZ-M1920-G
ALEXSEAL METALIC BASE COAT GOLD RUSH QUART	MZ-M1920-QRT
ALEXSEAL METALLIC BASE ROYAL RUBIE U.S GALLON	MZ-M3905-G
ALEXSEAL METALLIC BASE ROYAL RUBIE QUART	MZ-M3905-QRT
ALEXSEAL METALLIC BASE CORAL RED U.S GALLON	MZ-M3970-G
ALEXSEAL METALLIC BASE CORAL RED QUART	MZ-M3970-QRT
ALEXSEAL METALLIC BASE SUNSTONE RED U.S GALLON	MZ-M3971-G
ALEXSEAL METALLIC BASE SUNSTONE RED QUART	MZ-M3971-QRT
ALEXSEAL METALLIC BASE BLUE HORIZON U.S GALLON	MZ-M5904-G
ALEXSEAL METALLIC BASE BLUE HORIZON QUART	MZ-M5904-QRT
ALEXSEAL METALIC BASE PEPPERMINT BLUE U.S GALLON	MZ-M5914-G
ALEXSEAL METALLIC BASE PEPPERMINT BLUE QUART	MZ-M5914-QRT
ALEXSEAL METALLIC BASE BLUE TOPAZ U.S GALLON	MZ-M5915-G
ALEXSEAL METALLIC BASE BLUE TOPAZ QUART	MZ-M5915-QRT
ALEXSEAL METALLIC BASE ROYAL NIGHTS U.S GALLON	MZ-M5918-G
ALEXSEAL METALLIC BASE ROYAL NIGHTS QUART	MZ-M5918-QRT
ALEXSEAL METALLIC BASE PALMA BLUE U.S GALLON	MZ-M5922-G
ALEXSEAL METALLIC BASE PALMA BLUE QUART	MZ-M5922-QRT
ALEXSEAL METALLIC BASE DOPHINE BLUE U.S. GALLON	MZ-M5927-G
ALEXSEAL METALLIC BASE DOLPHINE BLUE QUART	MZ-M5927-QRT
ALEXSEAL METALLIC BASE VELVET GREEN U.S GALLON	MZ-M6915-G
ALEXSEAL METALLIC BASE VELVET GREEN QUART	MZ-M6915-QRT

on areas of the yacht which are not subject to permanent water immersion.

Product Codes	
ALEXSEAL METALLIC BASE LUNA GREEN U.S GALLON	MZ-M6919-G
ALEXSEAL METALLIC BASE LUNA GREEN QUART	MZ-M6919-QRT
ALEXSEAL METALLIC BASE SHADOW GREEN U.S GALLON	MZ-M6921-G
ALEXSEAL METALLIC BASE SHADOW GREEN QUART	MZ-M6921-QRT
ALEXSEAL METALLIC BASE STARDUST SILVER U.S GALLON	MZ-M7905-G
ALEXSEAL METALLIC BASE STARDUST SILVER QUART	MZ-M7905-QRT
ALEXSEAL METALLIC BASE MIDNIGHT GRAY U.S GALLON	MZ-M7916-G
ALEXSEAL METALLIC BASE MIDNIGHT GRAY QUART	MZ-M7916-QRT
ALEXSEAL METALLIC BASE SNOWPACK SILVER U.S GALLON	MZ-M7928-G
ALEXSEAL METALLIC BASE SNOWPACK SILVER QUART	MZ-M7928-QRT
ALEXSEAL METALLIC BASE HAZELNUT U.S.GALLON	MZ-M8944-G
ALEXSEAL METALLIC BASE HAZELNUT QUART	MZ-M8944-QRT
ALEXSEAL METALLIC BASE DIAMOND GREY U.S GALLON	MZ-M8945-G
ALEXSEAL METALLIC BASE DIAMOND GRAY QUART	MZ-M8945-QRT
ALEXSEAL METALLIC BASE MOCHA BROWN U.S GALLON	MZ-M8949-G
ALEXSEAL METALLIC BASE MOCHA BROWN QUART	MZ-M8949-QRT
ALEXSEAL METALLIC BASE BLACK MAGIC U.S GALLON	MZ-M9388-G
ALEXSEAL METALLIC BASE BLACK MAGIC QUART	MZ-M9388-QRT
ALEXSEAL METALLIC BASE ANNIVERSARY SILVER U.S GALLON	MZ-M9389-G
ALEXSEAL METALLIC BASE ANNIVERSARY SILVER QUART	MZ-M9389-QRT
ALEXSEAL METALLIC BASE PURE SILVER U.S GALLON	MZ-M9392-G
ALEXSEAL METALIC BASE PURE SILVER QUART	MZ-M9392-QRT
ALEXSEAL METALLIC BASE FLINT BLACK U.S GALLON	MZ-M9394-G
ALEXSEAL METALLIC BASE FLINT BLACK QUART	MZ-M9394-QRT

Tops Coats

ALEXSEAL 501 TOPCOAT





ALEXSEAL Premium Topcoat 501 is a two component, polyurethane-based coating, designed for exterior and interior applications. ALEXSEAL Premium Topcoat 501 has a high gloss wet look which provides superior distinction of image. This product has been specifically developed for the yacht industry. The product*special characteristics ensure a reduction of cleaning and maintenance, while at the same time preserving the yacht*appearance and value. After curing, ALEXSEAL Premium Topcoat 501 offers excellent gloss and color stability values, even under extreme climatic conditions. Additionally the material is highly resistant to UV rays, salt water, abrasion and fuel. ALEXSEAL Premium Topcoat 501 is used as a extreme high-gloss topcoat in spray or brush applications. It can be used internally or externally in areas not subject to permanent water immersion.

Product Codes

ALEXSEAL 501 TOPCOAT CLEAR GLOSS U.S. GALLON	MZ-T0125-G
ALEXSEAL 501 TOPCOAT CLEAR GLOSS QUART	MZ-T0125-QRT
ALEXSEAL 501 TOPCOAT INCA GOLD QUART	MZ-T0194-QRT
ALEXSEAL 501 TOPCOAT LUCID GOLD QUART	MZ-T0195-QRT
ALEXSEAL 501 TOPCOAT SILVER METALLIC U.S GALLON	MZ-T0943-G
ALEXSEAL 501 TOPCOAT SILVER METALLIC QUART	MZ-T0943-QRT
ALEXSEAL 501 TOPCOAT STORM GRAY METALLIC U.S. GALLON	MZ-T0953-G
ALEXSEAL 501 TOPCOAT STORM GRAY METALLIC QUART	MZ-T0953-QRT
ALEXSEAL 501 TOPCOAT CREAM U.S. GALLON	MZ-T1150-G
ALEXSEAL 501 TOPCOAT CREAM QUART	MZ-T1150-QRT
ALEXSEAL 501 TOPCOAT CAMEL BEIGE U.S. GALLON	MZ-T1151-G
ALEXSEAL 501 TOPCOAT CAMEL BEIGE QUART	MZ-T1151-QRT
ALEXSEAL 501 TOPCOAT SAVANNAH BEIGE U.S. GALLON	MZ-T1152-G
ALEXSEAL 501 TOPCOAT SAVANNAH BEIGE QUART	MZ-T1152-QRT
ALEXSEAL 501 TOPCOAT MOON DUST U.S. GALLON	MZ-T1158-G
ALEXSEAL 501 TOPCOAT MOON DUST QUART	MZ-T1158-QRT
ALEXSEAL 501 TOPCOAT FIGHTING LADY YELLOW U.S.	MZ-T1164-G
GALLON	
ALEXSEAL 501 TOPCOAT FIGHTING LADY YELLOW QUART	MZ-T1164-QRT
ALEXSEAL 501 TOPCOAT FEDERAL YELLOW U.S. GALLON	MZ-T1232-G
ALEXSEAL 501 TOPCOAT FEDERAL YELLOW QUART	MZ-T1232-QRT
ALEXSEAL 501 TOPCOAT SAN MATEO WHEAT U.S GALLON	MZ-T1236-G
ALEXSEAL 501 TOPCOAT SAN MATEO WHEAT QUART	MZ-T1236-QRT
ALEXSEAL 501 TOPCOAT MELLOW YELLOW U.S. GALLON	MZ-T1237-G
ALEXSEAL 501 TOPCOAT MELLOW YELLOW QUART	MZ-T1237-QRT
ALEXSEAL 501 TOPCOAT SAN MATEO WHEAT U.S. GALLON	MZ-T1238-G
ALEXSEAL 501 TOPCOAT SAN MATEO WHEAT QUART	MZ-T1238-QRT

Product Codes	
ALEXSEAL 501 TOPCOAT INTERNATIONAL ORANGE U.S.	MZ-T2165-G
GALLON	
ALEXSEAL 501 TOPCOAT INTERNATIONAL ORANGE QUART	MZ-T2165-QRT
ALEXSEAL 501 TOPCOAT SUNFAST RED U.S. GALLON	MZ-T3150-G
ALEXSEAL 501 TOPCOAT SUNFAST RED QUART	MZ-T3150-QRT
ALEXSEAL 501 TOPCOAT TOREADOR RED U.S. GALLON	MZ-T3151-G
ALEXSEAL 501 TOPCOAT TOREADOR RED QUART	MZ-T3151-QRT
ALEXSEAL 501 TOPCOAT RED WINE U.S. GALLON	MZ-T3152-G
ALEXSEAL 501 TOPCOAT RED WINE QUART	MZ-T3152-QRT
ALEXSEAL 501 TOPCOAT VIVID RED U.S. GALLON	MZ-T3153-G
ALEXSEAL 501 TOPCOAT VIVID RED QUART	MZ-T3153-QRT
ALEXSEAL 501 TOPCOAT SKY BLUE U.S. GALLON	MZ-T5117-G
ALEXSEAL 501 TOPCOAT SKY BLUE QUART	MZ-T5117-QRT
ALEXSEAL 501 TOPCOAT ROYAL BLUE U.S. GALLON	MZ-T5150-G
ALEXSEAL 501 TOPCOAT ROYAL BLUE QUART	MZ-T5150-QRT
ALEXSEAL 501 TOPCOAT NAVY BLUE U.S. GALLON	MZ-T5151-G
ALEXSEAL 501 TOPCOAT NAVY BLUE QUART	M7-T5151-QRT
ALEXSEAL 501 TOPCOAT CAPRI BLUE U.S. GALLON	MZ-T5152-G
ALEXSEAL 501 TOPCOAT CAPRI BLUE QUART	MZ-T5152-QRT
ALEXSEAL 501 TOPCOAT FLAG BLUE U.S. GALLON	MZ-T5153-G
ALEXSEAL 501 TOPCOAT FLAG BLUE QUART	MZ-T5153-QRT
ALEXSEAL 501 TOPCOAT ARISTO BLUE U.S. GALLON	MZ-T5154-G
ALEXSEAL 501 TOPCOAT ARISTO BLUE QUART	MZ-T5154-QRT
ALEXSEAL 501 TOPCOAT MAJESTIC BLUE U.S. GALLON	MZ-T5158-G
ALEXSEAL 501 TOPCOAT MAJESTIC BLUE QUART	
ALEXSEAL 501 TOPCOAT ICE BLUE U.S. GALLON	MZ-T5159-G
ALEXSEAL 501 TOPCOAT ICE BLUE QUART	MZ-T5159-QRT

ALEXSEAL 501 TOPCOAT





Dund	 -	

Product Codes	
ALEXSEAL 501 TOPCOAT STARS & STRIPES BLUE U.S. GALLON	MZ-T5160-G
ALEXSEAL 501 TOPCOAT STARS & STRIPES BLUE QUART	MZ-T5160-QRT
ALEXSEAL 501 TOPCOAT ETHERAL BLUE U.S. GALLON	MZ-T5182-G
ALEXSEAL 501 TOPCOAT ETHERAL BLUE QUART	MZ-T5182-QRT
ALEXSEAL 501 TOPCOAT MIDNIGHT BLUE U.S. GALLON	MZ-T5200-G
ALEXSEAL 501 TOPCOAT MIDNIGHT BLUE QUART	MZ-T5200-QRT
ALEXSEAL 501 TOPCOAT JADE MIST GREEN U.S. GALLON	MZ-T6150-G
ALEXSEAL 501 TOPCOAT JADE MIST GREEN QUART	MZ-T6150-QRT
ALEXSEAL 501 TOPCOAT FOREST GREEN U.S. GALLON	MZ-T6152-G
ALEXSEAL 501 TOPCOAT FOREST GREEN QUART	MZ-T6152-QRT
ALEXSEAL 501 TOPCOAT DARK GREEN U.S. GALLON	MZ-T6155-G
ALEXSEAL 501 TOPCOAT DARK GREEN QUART	MZ-T6155-QRT
ALEXSEAL 501 TOPCOAT AQUA MIST U.S. GALLON	MZ-T6158-G
ALEXSEAL 501 TOPCOAT AQUA MIST QUART	MZ-T6158-QRT
ALEXSEAL 501 TOPCOAT SEA FOAM U.S. GALLON	MZ-T6173-G
ALEXSEAL 501 TOPCOAT SEA FOAM QUART	MZ-T6173-QRT
ALEXSEAL 501 TOPCOAT SEA FROST U.S. GALLON	
ALEXSEAL 501 TOPCOAT SEA FROST QUART	MZ-T6183-QRT
ALEXSEAL 501 TOPCOAT WHISPER GRAY U.S. GALLON	MZ-T7151-G
ALEXSEAL 501 TOPCOAT WHISPER GRAY QUART	MZ-T7151-QRT
ALEXSEAL 501 TOPCOAT LIGHT GRAY U.S. GALLON	MZ-T7153-G
ALEXSEAL 501 TOPCOAT LIGHT GRAY QUART	MZ-T7153-QRT
ALEXSEAL 501 TOPCOAT PEGASUS GRAY U.S. GALLON	MZ-T7154-G
ALEXSEAL 501 TOPCOAT PEGASUS GRAY QUART	MZ-T7154-QRT
ALEXSEAL 501 TOPCOAT KINGSTON GRAY U.S. GALLON	MZ-T7155-G
ALEXSEAL 501 TOPCOAT KINGSTON GRAY QUART	MZ-T7155-QRT
ALEXSEAL 501 TOPCOAT DARK GRAY U.S. GALLON	MZ-T7156-G
ALEXSEAL 501 TOPCOAT DARK GREY QUART	MZ-T7156-QRT

Product Codes

Froduct Codes	
ALEXSEAL 501 TOPCOAT SABLE BROWN U.S. GALLON	MZ-T8168-G
ALEXSEAL 501 TOPCOAT SABLE BROWN QUART	MZ-T8168-QRT
ALEXSEAL 501 TOPCOAT MATTERHORN WHITE U.S. GALLON	MZ-T9123-G
ALEXSEAL 501 TOPCOAT MATTERHORN WHITE QUART	MZ-T9123-QRT
ALEXSEAL 501 TOPCOAT FLEET WHITE U.S. GALLON	MZ-T9126-G
ALEXSEAL 501 TOPCOAT FLEET WHITE QUART	MZ-T9126-QRT
ALEXSEAL 501 TOPCOAT OYSTER WHITE U.S. GALLON	
ALEXSEAL 501 TOPCOAT OYSTER WHITE QUART	
ALEXSEAL 501 TOPCOAT STARK WHITE U.S. GALLON	
	MZ-T9129-QRT
ALEXSEAL 501 TOPCOAT OFF WHITE U.S. GALLON	MZ-T9130-G
ALEXSEAL 501 TOPCOAT OFF WHITE QUART	MZ-T9130-QRT
ALEXSEAL 501 TOPCOAT CLOUD WHITE U.S. GALLON	MZ-T9132-G
ALEXSEAL 501 TOPCOAT CLOUD WHITE QUART	MZ-T9132-QRT
ALEXSEAL 501 TOPCOAT SNOW WHITE U.S. GALLON	
ALEXSEAL 501 TOPCOAT SNOW WHITE QUART	
ALEXSEAL 501 TOPCOAT ARTIC WHITE U.S. GALLON	MZ-T9135-G
ALEXSEAL 501 TOPCOAT ARTIC WHITE QUART	MZ-T9135-QRT
ALEXSEAL 501 TOPCOAT EGG SHELL WHITE U.S. GALLON	MZ-T9138-G
ALEXSEAL 501 TOPCOAT EGG SHELL WHITE QUART	MZ-T9138-QRT
ALEXSEAL 501 TOPCOAT CARINA WHITE U.S. GALLON	MZ-T9146-G
ALEXSEAL 501 TOPCOAT CARINA WHITE QUART	
ALEXSEAL 501 TOPCOAT BLUE TONE WHITE U.S. GALLON	MZ-T9157-G
ALEXSEAL 501 TOPCOAT BLUE TONE WHITE QUART	MZ-T9157-QRT
ALEXSEAL 501 TOPCOAT SUPER JET BLACK U.S. GALLON	MZ-T9232-G
ALEXSEAL 501 TOPCOAT SUPER JET BLACK QUART	MZ-T9232-QRT
ALEXSEAL 501 TOPCOAT DARK BLACK METALLIC US GALLON	MZ-T9449-G
ALEXSEAL 501 TOPCOAT DARK BLACK METALLIC QUART	M7-T9449-QRT

BRILLIANT FINISHES







Top Coat Converters

ALEXSEAL TOPCOAT CONVERTER



Alexseal converter for use with the Alexseal Premium Topcoat 501 and Alexseal Metallic Base Coat.

Product Codes

ALEXSEAL TOPCOAT CONVERTER BRUSH 1/2 MZ-C5012-0.5G U.S GALLON

ALEXSEAL TOPCOAT CONVERTER BRUSH PINT MZ-C5012-PNT ALEXSEAL TOPCOAT CONVERTER SPRAY U.S. MZ-C5051-G GALLON

ALEXSEAL TOPCOAT CONVERTER SPRAY QUART MZ-C5051-QRT

Flattening Additive

ALEXSEAL FLATTENING ADDITIVE



ALEXSEAL Flattening Additive is a matting paste for ALEX-SEAL Premium Topcoat 501. This product varies the degree of gloss without reducing the mechanical properties of the topcoat. Flattening Additive is ideal to use when a lower gloss level is desired to minimize glare and surface defects. ALEXSEAL Flattening Additive may be added to any ALEXSEAL Premium Topcoat 501 color base. This product is designed for spray application. Brush application may result in an uneven flat or semi gloss finish.

Product Codes

ALEXSEAL FLATTENING ADDITIVE U.S. GALLON MZ-A5023-G
ALEXSEAL FLATTENING ADDITIVE QUART MZ-A5023-QRT

Top Coat Accelerators

ALEXSEAL TOP COAT 501 ACCELERATOR



ALEXSEAL"

Alexseal accelerator for use with the Alexseal 501 Top Coat.

Product Codes

ALEXSEAL TOP COAT 501 ACCELERATOR 40Z MZ-A5035-4

302 Accelerator

ALEXSEAL ACCELERATOR SUPER BUILD 302 EPOXY PRIMER



ALEXSEAL®

Alexseal accelerator for use with the Alexseal Superbuild 302 Epoxy Primer

Product Codes

ALEXSEAL ACCELERATOR SUPER BUILD 302 MZ-A4030-PNT EPOXY PRIMER PINT

442 Accelerator

ALEXSEAL ACCELERATOR FINISH PRIMER 442 EPOXY PRIMER



ALEXSEAL® Yacht Coalings

Alexseal accelerator for use with the Alexseal Finish Primer 442 Primer

Product Codes

ALEXSEAL ACCELERATOR FINISH PRIMER 442 MZ-A4429-PNT EPOXY PRIMER PINT

Top Coat Reducers

ALEXSEAL TOP COAT REDUCER



ALEXSEAL"

Alexseal reducer for use with the Alexseal Premium Topcoat 501 and Alexseal Metallic Base Coat.

Product Codes

ALEXSEAL TOP COAT REDUCER BRUSH U.S	MZ-R5015-G
GALLON	
ALEXSEAL TOPCOAT REDUCER BRUSH QUART	MZ-R5015-QRT
ALEXSEAL TOPCOAT REDUCER SPRAY SLOW	MZ-R5030-G
U.S. GALLON	
ALEVSEAL TOD COAT DEDUICED SLOW/OLIADT	MAZ DEOSO ODT

ALEXSEAL TOPCOAT REDUCER SPRAY MEDIUM MZ-R5050-G U.S. GALLON

ALEXSEAL TOPCOAT REDUCER MEDIUM M7-R5050-QRT QUART

ALEXSEALTOP COAT REDUCER FAST U.S GALLON MZ-R5070-G ALEXSEAL TOPCOAT REDUCER FAST ORT M7-R5070-QRT ALEXSEAL TOP COAT REDUCER SUPERFAST U.S MZ-R5090-G GALLON

ALEXSEAL TOPCOAT REDUCER SUPFREAST M7-R5090-QRT QUART

302 Reducers

ALEXSEAL SUPER BUILD REDUCERS





Alexseal reducer for use with the Alexseal Super Build 302

Product Codes

ALEXSEAL SUPER BUILD 302 EPOXY PRIMER M7-R3040-G REDUCER U.S. GALLON

ALEXSEAL SUPER BUILD 302 EPOXY REDUCER MZ-R3040-QRT QUART

442 & 414 Reducer

ALEXSEAL EPOXY PRIMER REDUCER



ALEXSEAL®

Alexseal reducer for use with the Alexseal Finish Primer 442 and Alexseal Spot Primer 414.

Product Codes

ALEXSEAL EPOXY PRIMER REDUCER U.S.	MZ-R4042-G
GALLON	
ALEXSEAL EPOXY PRIMER REDUCER QUART	MZ-R4042-QRT

Surface Protector

ALEXSEAL SURFACE PROTECTOR



ALEXSEAL®

ALEXSEAL Surface Protector is a water-based one component material that cures into a flexible coating which is used for temporary protection of painted surfaces to prevent light scratching, soiling and weather influences during construction and transport of yachts. The easy stripping of the tear-resistant protective film remains intact for up to 6 months even after ageing and accelerated temperatures. ALEXSEAL Surface Protector may be used for the protection of fully cured topcoat surfaces, glass or stainless steel surfaces during storage, assembly or transport. ALEXSEAL Surface Protector should not be left on the freshly painted surface longer than 6 months. Note: It is strongly recommended that a test application is performed to confirm suitability for each surface that requires temporary protection. Do not apply over unpainted gelcoat, polycarbonates or wood. Do not apply other ALEXSEAL products over ALEXSEAL Surface Protector.

ALEXSEAL SURFACE PROTECTOR 10KG	MZ-S8010-10
ALEXSEAL SURFACE PROTECTOR 25KG	MZ-S8010-25

Auxiliary Products

ALEXSEAL PREMIUM WASH DOWN CONCENTRATE





ALEXSEAL Premium Wash Down Concentrate is a biodegradable washing detergent designed to clean ALEXSEAL topcoats. It is neutral in PH; does not include abrasives and is free rinsing which decreases drying time. ALEXSEAL Premium Wash Down Concentrate is formulated for the marine environment. ALEXSEAL Premium Wash Down Concentrate can be used on ALEXSEAL Topcoats to achieve a well cleaned surface.

Product Codes

ALEXSEAL PREMIUM WASH DOWN CON- MZ-A5005-QRT CENTRATE QUART

ALEXSEAL PREMIUM POLYMER SEALER





ALEXSEAL Premium Polymer Sealer is a non-abrasive synthetic sealer designed for cleaning and protecting surfaces painted with polyurethane. It is formulated with UV absorbers that will help protect the paint from exposure to the sun and improve the coatings life expectancy. Premium Polymer Sealer will remove mild stains and water spots from the surface and leave behind a protective polymer coating which will help seal the surface from the harsh elements of the marine environment. It is recommended to apply ALEX-SEAL Premium Polymer Sealer every 3 to 4 months to areas that have extreme exposure to sunlight.

Product Codes

ALEXSEAL PREMIUM POLYMER SEALER PINT MZ-A5010-PNT

ALEXSEAL BLENDING SOLVENT



Alexseal A5033 Blending Solvent is a product for Topcoat repairs. It is a solvent to be applied directly to the repair area or to be added to the ready mixed topcoat. The old coating will be softened which will help to connect the new coating with the old one. It will link both layers to get a smoother blending and a seamless repair.

Product Codes

ALEXSEAL BLENDING SOLVENT QUART MZ-A5033-QRT

Non Slip Additive

ALEXSEAL NON SKID ADDITIVE





ALEXSEAL Non Skid is specifically developed to achieve non-skid textures on surfaces where anti-skid properties are required. ALEXSEAL Non Skid is available in Course and Fine qualities and can be applied by spraying, brushing, rolling or sprinkling methods.

ALEXSEAL NON SKID ADDITIVE FINE 0,9KG	MZ-A5003
ALEXSEAL NON SKID ADDITIVE COARSE 0,9KG	MZ-A5007

Crack Sealer



BURGESS Creepy Crackseal is a highly penetrating resin which will work its way into the smallest cracks and penetrate wherever water is able to. BURGESS Creepy Crackseal & properties make it ideal for leaky hatches, deck lights and other troublesome areas.

Product Codes

BURGESS CREEPY CRACKSEAL 100ml

BS-CS-100

Wood Sealers

BURGESS WOODSEALER



BURGESS Woodsealer is a long lasting wood treatment which contains UV blocking pigments that help to prevent degradation by the sun x rays. BURGESS Woodsealer will not crack or craze like traditional varnishes. BURGESS Woodsealer can be used on its own to leave a matt finish or over-coated using Top Gloss or Clearseal to create a gloss finish.

BURGESS WOODSEALER	BS-WS-1
BURGESS WOODSEALER	BS-WS-2.5
BURGESS WOODSEALER	BS-WS-5

