

Adhesives & Sealants

Sika	26-32
ITW Plexus	32-34
3M	35-36
Arbo	36-39
Marine & Industrial	39-40
Bostik	40-42
Kwik Tack	42
Duralac	42
West System	43
Pro-Set	44
Bison	45-47
Tensorgrip	47-48

ONLINE
ORDERING
**AVAILABLE
NOW!**

Adhesives & Sealants

Adhesives & Sealants

SIKAFLEX 291i General Purpose Adhesive



Resistant to weathering and seawater, Sikaflex 291i is the perfect all rounder: an all-purpose flexible marine sealant that bonds extremely well to all the standard materials used in boat construction. Sikaflex 291i has outstanding elasticity ensures a durable, long-lasting seal.

Product Codes

SIKA 291i BLACK 70CC	SA-291-BL70
SIKA 291i BLACK 300CC	SA-291-BL
SIKA 291i BLACK 400CC	SA-291-BL400
SIKA 291i WHITE 70CC	SA-291-W70
SIKA 291i WHITE 300CC	SA-291-W
SIKA 291i WHITE 400CC	SA-291-W400

SIKAFLEX 292i HIGH STRENGTH ADHESIVE



Ideal for joints that are subject to extreme dynamic stresses require a high-strength elastic adhesive with good gap-filling capabilities. Sikaflex 292i with its excellent shock absorbing and vibration-damping properties, has been specially developed to meet these requirements in the punishing marine environment.

Product Codes

SIKA 292i WHITE 300CC	SA-292-W
-----------------------	----------

SIKAFLEX 295UV MARINE PLASTIC WINDOW GLAZING ADHESIVE



Designed for marine plastic window glazing where a high level of UV-resistance is required as it has a great degree of elasticity. Sika 295UV has exactly the right consistency to maintain the required bond line thickness, thus ensuring that thermal movements in plastic glazing panels are absorbed progressively, without any stress build-up.

Product Codes

SIKA 295UV BLACK 300CC	SA-295UV
SIKA 295UV BLACK 400ML	SA-295UV-400
SIKA 295UV WHITE 400ML	SA-295UV-W400

SIKAFLEX 221 GENERAL PURPOSE ADHESIVE



A fast curing, polyurethane based, flexible sealant for manufacturing and repair. Sikaflex 221 bonds a wide range of substrates.

Product Codes

SIKA 221 BLACK 300CC	SA-221-BLK
SIKA 221 BLACK 400CC	SA-221-400-BLK
SIKA 221 BLACK 600CC	SA-221-BL600
SIKA 221 BROWN 300CC	SA-221-BR
SIKA 221 GREY 300CC	SA-221-GR
SIKA 221 GREY 400CC	SA-221-400-GR
SIKA 221 GREY 600CC	SA-221-GR600
SIKA 221 WHITE 300CC	SA-221-W
SIKA 221 WHITE 400CC	SA-221-400-W
SIKA 221 WHITE 600CC	SA-221-W600

SIKAFLEX 521UV MULTIPURPOSE ADHESIVE



A one component UV resistant hybrid, polyurethane based multi-purpose adhesive. Sikaflex 521UV bonds a wide range of substrates.

Product Codes

SIKA 521UV WHITE 300CC	SA-521-WHUV
SIKA 521UV BLACK 300CC	SA-521-BLK
SIKA 521UV GREY 300CC	SA-521UV-GY

SIKAFLEX 252 HIGH STRENGTH ADHESIVE



Sikaflex 252 is a high modulus adhesive suitable for high strength flexible bonds. Sikaflex 252 bonds a wide range of substrates.

Product Codes

SIKA 252 BLACK 300CC	SA-252-BL
SIKA 252 WHITE 300CC	SA-252-W

SIKAFLEX 255FC ORGANIC GLAZING ADHESIVE



Sikaflex 255FC is extensively used in the automotive industry, it is a fast curing polyurethane adhesive designed for replacing organic windows. Sikaflex 255FC can also be used for a multitude of other applications where a fast cure is required.

Product Codes

SIKA 255FC BLACK	SA-255FC
------------------	----------

SIKAFLEX 265 MARINE MINERAL GLASS GLAZING ADHESIVE



Sikaflex 265 is ideal for direct glazing of mineral glass requires a purpose designed adhesive with the right combination of application properties and performance characteristics. Sikaflex 265 is a fast curing elastic polyurethane that is suitable for all types of mineral glass.

Product Codes

SIKA 265 BLACK 300CC	SA-265
SIKA 265 BLACK 600CC	SA-265-600

SIKAFLEX 296 MARINE MINERAL GLASS GLAZING ADHESIVE



Sikaflex 296 is ideal for direct glazing of mineral glass requires a purpose designed adhesive with the right combination of application properties and performance characteristics. Sikaflex 296 is a fast curing elastic polyurethane that is suitable for all types of mineral glass.

Product Codes

SIKA 296 BLACK 600CC	SA-296-600
----------------------	------------

SIKAFLEX 512 CARAVAN ADHESIVE



Sikaflex Caravan Adhesive is a unique all purpose adhesive and sealant especially designed for the repair of caravan, motor homes and trailers. Sikaflex 512 Caravan Adhesive is one part polyurethane that can be used externally and internally that bonds and seals in one operation. Sikaflex 512 Caravan Adhesive is UV resistant, colour stable and resistant to both ageing and weathering.

Product Codes

SIKA 512 CARAVAN ADHESIVE WHITE 300CC	SA-512UV
---------------------------------------	----------

SIKASIL WS-605 S WEATHERPROOF SILICONE



A durable, neutral-curing silicone sealant with a high movement capability and excellent adhesion to a wide range of substrates. Sika WS-605S can be used for weatherproofing and sealing applications where durability under severe conditions is required. Sika WS-605S is particularly suited as a weather seal for structural glazing, curtain walling and windows.

Product Codes

SIKASIL WS-605 S WEATHERPROOF SILICONE SA-WS605S
BLACK 600CC

SIKAFLEX 298 MARINE BEDDING ADHESIVE



Sika 298 is a viscous, flexible polyurethane adhesive ideally suited to bonding down timber strip decking, deck planking, plastic deck coverings & panels. Sika 298 is easy to spread and gives professional results every time. Sika 298 is permanently elastic giving a cushioning effect absorbing shocks and minimizing the transmission of impact sound.

Product Codes

SIKA 298 BROWN 600CC SA-298-600

SIKAFLEX 290DC PRO DECK CAULKING



Sika 290DC PRO is formulated as a caulking compound for Teak decks on boats, it is extremely easy to use and can be sanded flush with the deck when cured to give a beautifully neat, clean finish.

Product Codes

SIKA 290DC PRO BLACK 300CC SA-290DCPRO
SIKA 290DC PRO BLACK 600CC SA-290DCPRO-600

SIKASIL SG20 SILICONE ADHESIVE



Sikasil SG-20 is a neutral-curing silicone adhesive which combines mechanical strength with high elongation. Sikasil SG-20 adheres excellently to a wide range of substrates. It can be used for structural sealant glazing, bonding of solar modules and other high-demanding industrial applications. Sikasil is suitable for professional experienced users only.

Product Codes

SIKASIL SG20 300CC BLACK SA-SG20-BL

SIKA 591 MULTIPURPOSE SEALANT



Sikaflex 591 is a multifunctional hybrid sealant with excellent resistance against the harsh maritime weathering conditions. Sikaflex 591 bonds well to substrates commonly used in the marine industry. This marine sealant is safe to use and has been specifically designed without phthalates and tin content, to reach the lowest emissions currently available in the marine market.

Product Codes

SIKA 591 BROWN 300CC SA-591-BR

EVERBUILD MITRE FAST BONDING KIT



Mitre Fast Bonding Kit is a two part instant adhesive system comprising a cyanoacrylate adhesive and aerosol activator. Mitre Fast is mainly used in the furniture, timber, kitchen and plastics industries where its instant bonding properties dramatically reduce assembly times for mitre joints when compared to conventional wood adhesives. Also suitable for bonding of MDF, rubber, PVCu, metals etc.

Product Codes

EVERBUILD MITRE FAST BONDING KIT	EVER-MITREIND
----------------------------------	---------------

EVERBUILD 115GP MASTIC



Everflex 115 GP Building Mastic is a traditional oil based pointing mastic that provides an effective weatherproof seal. Typically used to seal composite sectional panels and low movement vertical building joints.

Product Codes

EVERBUILD 115GP MASTIC BROWN 285ML	EVER-GP-BR
------------------------------------	------------

Primers & Cleaners

SIKA MULTIPRIMER MARINE



Sika Multiprimer Marine is an all purpose and easy to apply primer, for use on most substrates such as wood, metals, plastics and painted substrates. Sika Multiprimer Marine typically dries in 10 minutes ready for Sikaflex application.

Product Codes

SIKA MULTIPRIMER MARINE 250ML	SA-SPMPM
-------------------------------	----------

SIKA ACTIVATOR 205 (SIKA CLEANER 205)



A solvent cleaner and conditioner which improves adhesion on non-porous surfaces for Sikaflex adhesives.

Product Codes

SIKA SURFACE CLEANER / AKTIVATOR 205 250ml	SA-SP205
SIKA SURFACE CLEANER / AKTIVATOR 205 1L	SA-SP205-1L

SIKA PRIMER 206



Sika 206 primer is for mineral glass, to be used in conjunction with Sika Activator. Can also be used on stainless steel as well and two part epoxy/polyurethane paints.

Product Codes

SIKA PRIMER 206 250ml	SA-SP206GP-250
-----------------------	----------------

Adhesives & Sealants

SIKA CLEANER 208



A cleaner to remove uncured Sikaflex from glass, metal, brushes and tools.

Product Codes

SIKA CLEANER 208 1L

SA-SP208

SIKA PRIMER 210



Special primer for applications on anodized aluminium and other metallic surfaces.

Product Codes

SIKA PRIMER 210 250ml

SA-SP210

SIKA PRIMER 209 D



Primer for use with PMMA (Perspex) plastic windows. (See Sika 209N for use with Polycarbonate Plastic Windows)

Product Codes

SIKA PRIMER 209 D 250ml

SA-SP209D

SIKA PRIMER 215



Special formulation for use on all GRP, wood and some plastic substrates.

Product Codes

SIKA PRIMER 215 250ml

SA-SP215

SIKA PRIMER 215 1L

SA-SP215-1L

SIKA PRIMER 209 N



Primer for use with Polycarbonate windows, not Perspex (PMMA). (See Sika 209D for use with Perspex windows)

Product Codes

SIKA PRIMER 209 N 250ml

SA-SP209N

SIKA PRIMER 290DC



This primer is formulated to remove surface contamination and wood oils prior to the application of Sikaflex 290DC. This is critical, especially when dealing with oily woods such as Teak.

Product Codes

SIKA PRIMER 290DC 250ml

SA-SP290DC

SIKA AKTIVATOR 100



Special Cleaner and adhesion promoter, for direct glazing and non-porous surfaces. Sika primer 206 G&P must be applied after Sika Aktivator 100.

Product Codes

SIKA AKTIVATOR 100 250ml	SA-ACT100-250
SIKA AKTIVATOR 100 1L	SA-ACT100-1L

SIKA PRIMER 207



Sika Primer 207 is a black, moisture curing liquid primer specifically formulated for the treatment of bond faces prior to application of Sika polyurethane adhesives and sealants. This primer may provide excellent adhesion without previous activation step on many substrates. Sika Primer 207 combines reduced flash-off time and fast adhesion built-up. Sika Primer 207 fluoresces under long-wave UV light. Sika Primer 207 is used to give improved adhesion in adhesive bonding applications on a very broad range of different substrates such as float glass, ceramic-coated glass, plastics, pre-coatings, painted surfaces, E-coats and metals. This product is suitable for experienced professional users only. Tests with actual substrates and conditions, especially boundary temperature conditions have to be performed to ensure adhesion and material compatibility.

Product Codes

SIKA PRIMER 207 BLACK 100ml	SA-SP207
SIKA PRIMER 207 BLACK 250ML	SA-SP207-250

SIKA TOOLING AGENT



Water based agent for finishing Sikaflex seams and joints.

Product Codes

SIKA TOOLING AGENT 1L (4)	SA-TAGENT-1L
---------------------------	--------------

Accessories

SIKA NOZZLES



A range of spare nozzles for Sika 300cc cartridges and 400cc/ 600cc sachets. Pre-formed nozzles for glazing applications to allow a triangle bead to be applied.

Product Codes

SIKA CARTRIDGE 300CC NOZZLE	SA-NOZ-310CC
SIKA PLASTIC THIN NOZZLE (600CC)	SA-NOZ-600
SIKA PRECUT NOZZLE WITH PIN (3 PACK)	SA-8141

Adhesives & Sealants

SIKA CLEANING WIPES



Textured wipes for removal of uncured Sikaflex and heavy soiling from skin. No rinse required after use. 100 pre-cut sheets per tub.

Product Codes

SIKA CLEANING WIPES PK100

SA-WIPES

SIKA PRIMER APPLICATORS/SURFACE CLEANING PADS



Foam sponges for applying Sika primers, ensuring a neat and even coverage

Product Codes

SIKA PRIMER APPLICATORS/SURFACE CLEANING PADS SA-PCA (108)

SIKA PRIMER BUDS & BRUSHES



Sika Primer Buds and brushes, ideal for Sika primer application

Product Codes

SIKA PRIMER APPLICATION BUDDS

SA-PRIMERBUD

SIKA PRIMER GLUE BRUSH

SA-GLUEBRUSH

SIKA NOZZLE ADAPTOR



Sika nozzle adaptors are available to suit bulk sachet applications. These Sika Nozzle adaptors sit behind the end-cap of a bulk gun and use the standard cartridge nozzles instead of the witches hats.

Product Codes

SIKA NOZZLE ADAPTOR FOR SACHETS

SA-G2228001

ITW PLEXUS NOZZLES



Nozzle to be applied to Plexus cartridges. Nozzle has a matrix grid inside to allow complete mixture of product. NB: When changing nozzles/cartridge always extrude a small amount of adhesive and check the mixed colour to ensure complete mix.

Product Codes

PLEXUS 3590 50ml NOZZLE 1:1

PLX-3590

PLEXUS 3592 UNIVERSAL NOZZLE FOR 10:1 AND 1:1

PLX-3582

Adhesives

ITW PLEXUS MA300



An all purpose, high strength 1:1 structural adhesive. Plexus MA300 will bond a range of plastics and metals (with the use of the metal primer PC120). Working Time - 4-6 minutes. Fixture Time - 12-15 minutes. Gap Fill - 4mm.

Product Codes

PLEXUS MA300 50ml

PLX-MA300-50

PLEXUS MA310 CREAM 400ml

PLX-MA300

ITW PLEXUS MA310



ITW PLEXUS
Structural Adhesives

A high strength 1:1 structural adhesive. Plexus MA310 is designed for bonding a range of difficult to bond plastics. Working Time - 15-18 minutes. Fixture Time - 30-35 minutes. Gap Fill - 4mm.

Product Codes

PLEXUS MA310 CREAM 50ml	PLX-MA310-50
PLEXUS MA310 CREAM 400ml	PLX-MA310
PLEXUS MA310 BLACK 400ml	PLX-MA310BLK

ITW PLEXUS MA422



ITW PLEXUS
Structural Adhesives

All purpose, medium open time 10:1 structural adhesive. Working Time - 17-24 minutes. Fixture Time - 35-40 minutes. Gap Fill - 10mm

Product Codes

PLEXUS MA422 10:1 BLUE 380ml	PLX-MA422
------------------------------	-----------

ITW PLEXUS MA320



ITW PLEXUS
Structural Adhesives

A high strength 10:1 structural adhesive. Plexus MA320 has excellent low temperature properties. Working Time - 8-12 minutes. Fixture Time - 25-30 minutes. Gap Fill - 10mm.

Product Codes

PLEXUS MA320 OFF WHITE 380ml	PLX-MA320
------------------------------	-----------

ITW PLEXUS MA425



ITW PLEXUS
Structural Adhesives

All purpose, long open time 10:1 structural adhesive extensively used in Marine Industry. Working Time - 30-35 minutes. Fixture Time - 80-90 minutes. Gap Fill - 10mm.

Product Codes

PLEXUS MA425 380ml 10:1	PLX-MA425
-------------------------	-----------

ITW PLEXUS MA420



ITW PLEXUS
Structural Adhesives

A two-part methacrylate adhesive designed for structural bonding of thermoplastic, metal, and composite assemblies. Plexus MA420 is the standard choice for composites bonding applications in the transportation industry, because it requires virtually no surface preparation. Working Time - 4-6 minutes. Fixtures Time 15-18 minutes. Gap fill 1-8mm

Product Codes

PLEXUS MA420 BLACK 380ml	PLX-MA420-BK
PLEXUS MA420 BLUE 380ml	PLX-MA420-BLUE

ITW PLEXUS MA530



ITW PLEXUS
Structural Adhesives

All purpose, high strength, medium open time 1:1 adhesive. Working Time - 40-45 mins Fixture Time - 55-70 mins Gap Fill - 18mm

Product Codes

PLEXUS MA530 GREY 400cc 1:1	PLX-MA530
-----------------------------	-----------

ITW PLEXUS MA550



ITW PLEXUS
Structural Adhesives

An all purpose, white UV stable, long open time 10:1 structural adhesive. PLEXUS MA550 is extensively used in the Marine Industry. Working Time - 40-45mins Fixture Time - 70-75mins Gap Fill - 10mm.

Product Codes

PLEXUS MA550 WHITE 380ml 10:1

PLX-MA550

ITW PLEXUS MA830



ITW PLEXUS
Structural Adhesives

Fast curing, high strength 10:1 metal bonder. Can be used without the need to prime. Working Time - 4-6minutes. Fixture Time - 20-25minutes. Gap Fill - 12mm.

Product Codes

PLEXUS MA830 380ml 10:1

PLX-MA830

ITW PLEXUS MA832



ITW PLEXUS
Structural Adhesives

Medium open time, high strength 10:1 metal bonder. Can be used without the need prime. Working Time - 12-16minutes. Fixture Time - 50-60 minutes. Gap Fill - 12mm

Product Codes

PLEXUS MA832 380ml 10:1

PLX-MA832A

Primers

ITW PRIMER PC120



ITW PLEXUS
Structural Adhesives

Primer/Conditioner for non-porous metals to allow better bond strength for Plexus products outside the 800 series. Wipe on and leave for 120 seconds to flash off.

Product Codes

PRIMER PC120 900ml

PLX-PC120

Contact Adhesives

3M SCOTCH-WELD FASTBOND 10 CONTACT ADHESIVE



3M

A solvent based brushable contact adhesive. With its superior resistance to heat and sunlight this product is ideally suited for high pressure laminate to particle board in the manufacture of kitchens, worktops and countertops.

Product Codes

3M SCOTCH-WELD FASTBOND 10 CONTACT
ADHESIVE 1L

3M-FB10-1

3M SCOTCH-WELD FASTBOND 10 CONTACT
ADHESIVE 5L

3M-FB10-5

3M FASTBOND 49 WATER BASED CONTACT ADHESIVE



3M

This insulation adhesive is a water-based, high solids, fast tacking, pressure sensitive adhesive for bonding lightweight materials like fibreglass insulation, felt, paper and other materials to metal and many other surfaces

Product Codes

3M FASTBOND 49 WATER BASED CONTACT ADHESIVE 2L 3M-FB49-2

Spray Adhesives

3M SUPER 77 SPRAY ADHESIVE



3M

A lightweight, multipurpose spray adhesive which will bond almost anything to anything! This product can be used on expanded polyurethane and lightweight substrates.

Product Codes

3M SUPER 77 SPRAY ADHESIVE 500ml 3M-SPRAY77

3M RUBBER & VINYL 80 SPRAY ADHESIVE



3M

A high performance neoprene contact adhesive ideally suited for laminating worktops and the like.

Product Codes

3M RUBBER & VINYL 80 SPRAY ADHESIVE 500ml 3M-SPRAY80

3M HI-STRENGTH 90 SPRAY ADHESIVE



3M

A fast setting, multipurpose, high strength contact adhesive with viable width spray pattern. Suitable for most substrates including polyethylene and polypropylene.

Product Codes

3M HI-STRENGTH 90 SPRAY ADHESIVE 500ml 3M-SPRAY90

3M 3200 MARINE SILICONE SEALANT



3M

A mildew resistant, non-sagging, moisture curing silicone rubber sealant. Adheres to bare and painted metals, fibreglass, glass, non-oily woods and many plastics. Ideal for galley and bathroom sealing.

Product Codes

3M 3200 MARINE SILICONE SEALANT BLACK 280ml 3M-5601

3M 3200 MARINE SILICONE SEALANT CLEAR 280ml 3M-5602

3M 3200 MARINE SILICONE SEALANT WHITE 280ml 3M-5600

3M 4000UV STAY WHITE SEALANT



3M

A fast cure cosmetic sealant which offers better UV resistance than most polyurethane sealants and silicones. Strong, paintable and can be applied both above and below the waterline.

Product Codes

3M 4000UV STAY WHITE SEALANT 295CC 3M-06580

Adhesives & Sealants

3M 4200FC WHITE FAST CURE MARINE ADHESIVE



3M

A one part general purpose polyurethane that chemically reacts with moisture to deliver flexible bonds with good adhesion to wood, fibreglass, gelcoat, certain plastics and metals.

Product Codes

3M 4200FC WHITE FAST CURE MARINE ADHESIVE 295ml 3M-6560

3M 5200 MARINE ADHESIVE



3M

High performance moisture curing polyurethane adhesive with very high bond strength for use above or below the waterline. Very flexible to withstand shocks, vibration and swelling. It is worth noting that a typical bead will take 5-7 days to fully cure.

Product Codes

3M 5200 WHITE MARINE ADHESIVE SEALANT 295CC 3M-6500

3M 5200 BLACK MARINE ADHESIVE SEALANT 295CC 3M-6504

3M 5200FC WHITE FAST CURE MARINE ADHESIVE



3M

Fast curing, high performance polyurethane adhesive which fully sets in approximately 24 hours. Very flexible to withstand shocks, vibration and swelling.

Product Codes

3M 5200FC WHITE FAST CURE MARINE ADHESIVE 295ml 3M-6520

Glue Sticks

3M 3738Q SCOTCH-WELD HOT MELT ADHESIVE



3M

Solid glue sticks for use in the Quadtrack applicator gun

Product Codes

3M 3738Q SCOTCH-WELD HOT MELT ADHESIVE 3M-3738Q
TAN 5KG

ARBOKOL 1000

ARBO
SEALANTS

A one component, highly durable polysulphide sealant. When cured Arbokol 1000 creates structural joints between wood, GRP and other porous materials. Arbokol 1000 is not recommended for joints greater than 25mm.

Product Codes

ARBOKOL 1000 BLACK 380ml AR-1000-BK

ARBOKOL 1000 GREY 380ml AR-1000-GY

ARBOKOL 1000 TEAK 380ml AR-1000-TK

ARBOKOL 1000 WHITE 380ml AR-1000-WE

ARBOSIL 1081

ARBO
SEALANTS

A one component high modulus silicone sealant suited for all sanitary applications such as bathrooms and kitchens. Arbosil 1081 can also be used for frameless glass aquaria (Translucent only). Arbosil 1081 is not recommended for over painting.

Product Codes

ARBOSIL 1081 BLACK 310ml AR-1081-BK

ARBOSIL 1081 TRANS 310ml AR-1081-TRNS

ARBOSIL 1081 WHITE 310ml AR-1081-WE

ARBOSIL 1090



A one part low modulus silicone sealant. Arbosil 1090 is suited for curtain walling, remedial perimeter sealing, structural joints in light & heavy cladding, gutter joints and joints in brickwork. Arbosil 1090 is not recommended for over painting.

Product Codes

ARBOSIL 1090 BLACK 380ml	AR-1090-BK
ARBOSIL 1090 BUFF 380ml	AR-1090-BF
ARBOSIL 1090 GREY 380ml	AR-1090-GY
ARBOSIL 1090 TEAK 380ml	AR-1090-TK

ARBOMAST GP



A one part oil based mastic. Arbomast GP is suited for perimeter sealing of painted timbers and sealing performed concrete panels. Arbomast GP is not recommended for high movement joints.

Product Codes

ARBOMAST GP BLACK 380ml	AR-GP-BK
ARBOMAST GP GREY 380ml	AR-GP-GY
ARBOMAST GP NAT 380ml	AR-GP-NL

ARBOSIL 1096



A one part low modulus silicone sealant. Arbosil 1096 is suited for sealing marine windows, windows in swimming pools, polycarbonate and acrylic sheeting and glass wall assemblies. Arbosil 1096 is not recommended for over painting.

Product Codes

ARBOSIL 1096 BLACK 380ml	AR-1096-BK
ARBOSIL 1096 GREY 380ml	AR-1096-GY
ARBOSIL 1096 MAHOGANY 380ml	AR-1096-MY
ARBOSIL 1096 TRANS 380ml	AR-1096-TRNS
ARBOSIL 1096 WHITE 380ml	AR-1096-WE

ARBOSIL LM



A one part Low Modulus silicone sealant suited for joints in roofing sheets, remedial glazing and perimeter sealing of uPVC frames. Not recommended for over painting.

Product Codes

ARBOSIL LM BLACK 310ml	AR-LM-BK
ARBOSIL LM WHITE 380ml	AR-LM-WE

ARBOSIL HM



A one part High Modulus acetox cure silicone sealant suited for sealing of aluminium sheets & components as well as general interior sealing. Not recommended for over painting.

Product Codes

ARBOSIL HM BLACK 310ml	AR-HM-BK
ARBOSIL HM TRANS 310ml	AR-HM-TRNS
ARBOSIL HM WHITE 310ml	AR-HM-WE

ARBOMAST BR



A one part Butyl Rubber based sealant which only cures on the surface and remains putty like. Arbomast BR can be used as a bedding compound for marine windows and other low movement joints.

Product Codes

ARBOMAST BR GREY 380ml	AR-BR-GY
------------------------	----------

Adhesives & Sealants

ARBO MP20



A single component modified silicone sealant with excellent adhesive and sealant qualities. Can be over painted but testing is strongly advised.

Product Codes

ARBO MP20 STRUCTURAL ADHESIVE BLACK AR-MP20-BK CARTRIDGE

ARBO MP20 STRUCTURAL ADHESIVE GREY AR-MP20-GY CARTRIDGE

ARBO MP20 STRUCTURAL ADHESIVE WHITE AR-MP20-WHITE CARTRIDGE

ARBOKOL 2150



Arbokol 2150 is a two component, hard wearing structural polysulphide adhesive. Arbokol 2150 is ideal for hull-to-keel joints and swimming pool joints. Arbokol 2150 is not recommended for large joints with large amounts of movement.

Product Codes

ARBOKOL 2150 BLACK 2L

AR-2150-BK

ARBOKOL 2150 GREY 2L

AR-2150-GY

ARBO CLEANER NO.16



Alcohol based cleaner suitable for the cleaning and de-greasing of delicate surfaces, such as paints and varnishes, prior to bonding.

Product Codes

ARBO CLEANER NO.16 1L

AR-16-1

ARBO POROUS PRIMER



For use with Arbokol AG2 or 2150 on porous surfaces such as wood and other fibrous materials.

Product Codes

ARBO POROUS PRIMER 500ml

AR-AG2-PP

ARBOSIL PRIMER 2172



Non-porous primer designed to be used with the Arbosil silicone range on substrates such as glass, GRP and metals.

Product Codes

ARBOSIL PRIMER 2172 500ml

AR-2172

ARBO EMPTY CARTRIDGES



These empty cartridges are primarily used to apply the Arbo 2150 polysulphide adhesive into joints where a degree of accuracy is required. Additional nozzles for the sealant range available in two sizes.

Product Codes

ARBO NOZZLE FOR 1096/BR/GP/1000

AR-NOZ

ARBO NOZZLES FOR AR1081

AR-NOZ-1081

ARBO EMPTY CARTRIDGE 400ml

AR-ECART

ARBO ENDCAP ONLY

AR-ENDCAP

Tapes

ARBO GZ TAPE



Arbosil GZ Tape is a flat section performed butyl strip suited for compression joints in cladding or roofing, lap joints and glazing windows into frames. Please note this product is not recommended for expansion joint.

Product Codes

ARBO GZ BLACK 12X3X12M

AR-GZ12X3BL

ARBO GZ BLACK 22X3X12M

AR-GZ-22X3

Silicone

MARINE HIGH MODULOUS SILICONE



Manufactured by one of the world's leading adhesive companies, Henkel. This product is a top quality, high modulus silicone sealant which can be used above or below the waterline as well as in bathrooms and kitchens. White has an anti-fungicide to stop mildew growth.

Product Codes

MARINE HIGH MODULOUS SILICONE WHITE RP-HM-WHITE 310CC

MARINE HIGH MODULOUS SILICONE TRANS- RP-HM-TRNS PARENT 310CC

Wood Adhesives

EASIBOND PU ADHESIVE



Moisture curing foaming single component polyurethane which expands when exposed to atmosphere. Creates high bond strength on woods, plastics and other porous and non-porous substrates. Fast Working Time - 20-45mins Fast Clamping Time - 1hr @20 deg C - 4hr @ 5 deg C, Slow Working Time - 20-45mins Slow Clamping Time - 3hr @ 20 deg C - 10-12 hr @ 5 deg C.

Product Codes

EASIBOND PU ADHESIVE FAST 1L (A7510)

A-WDBND-1

EASIBOND PU ADHESIVE SLOW 1L (A7512)

A-WDBND-12

Adhesives & Sealants

MARINE SILICONE NOZZLES



Spare nozzles for use with the Marine Silicone.

Product Codes

RP NOZZLE FOR 310cc CARTRIDGE

RP-HM-NOZ

MSR / ISR Adhesives & Sealants

BOSTIK MSR CONSTRUCTION ADHESIVE



Bostik Simson Construction Adhesive is single component MS Polymer adhesive which has fantastic sealing and bonding characteristics. Bostik Simson Construction Adhesive is very surface tolerant and has excellent UV resistance.

Product Codes

BOSTIK MSR CA 290ml BLACK	BF-MSR-CA-290B
BOSTIK MSR SLOW SKIN CA 400ml BLACK	BF-MSR-CA-SSKF-400BL
BOSTIK MSR SLOW SKIN CA 600ml BLACK	BF-MSR-CA-SSKF-600BL
BOSTIK MSR SLOW SKIN CA 290ml BROWN	BF-MSR-CA-SSKF-290BR
BOSTIK MSR CA 290ml WHITE	BF-MSR-CA-290W
BOSTIK MSR SLOW SKIN CA 400ml WHITE	BF-MSR-CA-SSKF-400W
BOSTIK MSR SLOW SKIN CA 600ml WHITE	BF-MSR-CA-SSKF-600W

BOSTIK MSR DECK CAULK ADHESIVE



Bostik Simson MSR Deck Caulk Advance is a one component, permanently elastic, fast curing sealant, based on Silyl Modified Polymer (SMP). Bostik Simson MSR Deck Caulk Advance has excellent chemical, UV and heat resistance. Bostik Simson MSR Deck Caulk Advance can be sanded after curing.

Product Codes

BOSTIK MSR DECK CAULK 290ml

BF-MSR-DC-290

BOSTIK MSR DECK CAULK 600ml

BF-MSR-DC-600

BOSTIK ISR 70-03 ADHESIVE



ISR 70-03 SSKF is suitable for making elastic constructive joints, which also require a high strength. Very good UV-resistance and ageing properties. In general good adhesion on several substrates without the use of a primer. ISR 70-03 SSKF (longer open time version of ISR 70-03) is a good compromise between an adhesive and a sealant.

Product Codes

BOSTIK ISR 70-03 SSKF C.A BLACK 600CC	BF-ISR-70-03-B-600
BOSTIK ISR 70-03 SSKF C.A WHITE 600CC	BF-ISR-70-03-W-600
BOSTIK ISR 70-03 290ml BLACK	BF-ISR-CA-290B
BOSTIK ISR 70-03 290ml DARK GREY	BF-ISR-CA-290DG
BOSTIK ISR 70-03 290ml GREY	BF-ISR-CA-290G
BOSTIK ISR 70-03 290ml WHITE	BF-ISR-CA-290W

BOSTIK FINISHING SOAP SPRAY



Bostik Finishing Soap is a ready mixed neutral universal liquid for the wet tooling of sealants in joints.

Product Codes

BOSTIK FINISHING SOAP SPRAY 500ML BF-SOAP-500

BOSTIK PRIMERS



A liquid primer for improving the adhesion of Construction Adhesive. Use Primer P for Porous substrates such as wood and concrete. Use Primer M on non-porous substrates such as GRP, metals and plastics. Use Primer G on glass that doesn't have a ceramic coating to provide a UV protective coat.

Product Codes

BOSTIK PRIMER M 500ml BF-PRIMER-M
BOSTIK PRIMER PREP X-PLUS 250ML BF-PRIMER-G+
BOSTIK PREP P DECK CAULKING PRIMER 500ml BF-PRIMER-P

BOSTIK 2402 HYPALON ADHESIVE



Two component contact adhesive designed for bonding Hypalon and PVC inflatable boats as well as a wide range of other plastics and metals.

Product Codes

BOSTIK 2402 HYPALON ADHESIVE 250ML PACK BF-2402-250ML
BOSTIK 2402 HYPALON ADHESIVE 1L PACK BF-2402-1L
BOSTIK 2402 HYPALON ADHESIVE COMP A 4.8L BF-2402-A-4.8
BOSTIK 2402 HYPALON ADHESIVE COMP B 0.2L BF-2402-B-0.2

BOSTIK TX528 THIXO CONTACT ADHESIVE



A single component, thixotropic, non-drip contact adhesive, ideal for use on a range of laminates, plastics and metals.

Product Codes

BOSTIK TX528 THIXO CONT ADHESIVE 5L BF-TX528-5LTR

BOSTIK HOT MELT GLUE STICKS



A high performance, hot melt adhesive supplied in sticks 300 mm long and approximately 11.5 mm in diameter. They are designed for application by appropriate glue guns and provide bonds with good flexibility and peel strengths, being particularly suitable for use with flexible substrates.


Product Codes

BOSTIK HOT MELT GLUE STICKS 300mm x 5KG BF-6330-5KG

Adhesives & Sealants

PVC

BOSTIK EVO-STICK 9517 PVA ADHESIVE



Bostik 9517 is a ready for use, fast setting; single part curing polyvinyl acetate based emulsion. The 9517 conforms to D3 requirements of EN204 and is water resistant.

Product Codes

BOSTIK EVO-STICK 9517 PVA ADHESIVE 1L	BF-9517-1
BOSTIK EVO-STICK 9517 PVA ADHESIVE 5L	BF-9517-5

KWIKTAK SPRAY CONTACT ADHESIVE

KWIK-TAK



Multipurpose spray contact adhesive designed to bond a range of veneers, plastics, rubbers and upholstery.

Product Codes

KWIKTAK SPRAY CONTACT ADHESIVE 500ml	KWIKTAK-400
--------------------------------------	-------------

Jointing Compound

DURALAC JOINTING COMPOUND



A single component jointing compound which can be used as an isolator between dissimilar metals to stop electrolytic corrosion.

Product Codes

DURALAC SMALL TUBES 115ml	DURALAC-100
---------------------------	-------------

Epoxy Adhesives

WEST SYSTEM G5 FIVE MINUTE ADHESIVE



WEST SYSTEM

WEST SYSTEM G5 Five Minute Adhesive is an easy to use, 1:1 mix, fast setting resin/hardener system. WEST SYSTEM G5 Five Minute Adhesive is ideal for quick repairs and general bonding around the boat and in the home, the workshop or garage.

Product Codes

WEST SYSTEM G5 FIVE MINUTE ADHESIVE 200gm	WS-G5-200
WEST SYSTEM G5 FIVE MINUTE EPOXY RESIN 1KG	WS-G5-R-1
WEST SYSTEM G5 FIVE MINUTE EPOXY HARD-ENER 1KG	WS-G5-H-1
WEST SYSTEM G5 FIVE MINUTE EPOXY RESIN 2.5KG	WS-G5-R-2.5
WEST SYSTEM G5 FIVE MINUTE EPOXY HARD-ENER 2.5KG	WS-G5-H-2.5

WEST SYSTEM G-FLEX 650



WEST SYSTEM

A toughened, versatile, liquid epoxy for permanent water-proof bonding of fibreglass, ceramics, metals, plastics, damp and difficult-to-bond woods. With a modulus of elasticity of 150,000 PSI, it is a bit more flexible than standard epoxies and polyester, but much stiffer than adhesive sealants. This gives G/flex the ability to make structural bonds that can absorb the stress of expansion, contraction, shock and vibration. It is ideal for bonding dissimilar materials. It can be modified with West System fillers and additives, and used to wet-out fibreglass tapes and fabrics. This kit contains 4 fl. oz. G/flex 650 resin, 4 fl. oz. G/flex 650 hardener (8 fl. oz. mixed epoxy), 2 reusable mixing stick/applicators, 2 12-cc syringes, 4 grams Adhesive Filler, 4 mixing cups, 1 pair disposable neoprene gloves, 4 alcohol cleaning pads and complete handling and repair instructions. Mix ratio 1.2:1 by weight

Product Codes

WEST SYSTEM GFLEX EPOXY PACK 236ml	WS-GF-650-8
WEST SYSTEM GFLEX EPOXY REPAIR PACK 236ml	WS-GF-650-K
WEST SYSTEM GFLEX 650-32 RESIN 0.5L	WS-GF-650-32-R-0.5
WEST SYSTEM GFLEX 650-32 HARDENER 0.5L	WS-GF-650-32-H-0.5
WEST SYSTEM GFLEX EPOXY RESIN 4L	WS-GF-650-2GR
WEST SYSTEM GFLEX EPOXY HARDENER 4L	WS-GF-650-2GH

WEST SYSTEM G-FLEX 655



WEST SYSTEM

A thickened, easy-to-use epoxy that permanently bonds fibreglass, ceramics, metals, plastics, damp and difficult-to-bond woods. WEST SYSTEM G Flex 655 is toughened to make structural bonds that absorb the stresses of expansion, contraction, shock and vibration. Glue resinous woods, exotic woods and a wide range of dissimilar materials. Repair aluminium, plastic and wooden boats, kayaks and canoes. This kit contains 4.5 fl. oz. G/flex 655 resin, 4.5 fl. oz. G/flex 655 hardener (9 fl. oz. of mixed epoxy), 2 reusable mixing stick/applicators, 4 alcohol cleaning pads, 1 pair disposable neoprene gloves, 10 mixing palettes and complete handling and repair instructions. Mix ratio 1.2:1 by weight.

Product Codes

WEST SYSTEM G FLEX EPOXY ADHESIVE REPAIR PACK 236ml	WS-GF-655-K
WEST SYSTEM GFLEX 655-32 RESIN 0.5L	WS-GF-655-32-R-0.5
WEST SYSTEM GFLEX 655-32 HARDENER 0.5L	WS-GF-655-32-H-0.5
WEST SYSTEM G-FLEX 655 RESIN 4L	WS-GF-655-R-4
WEST SYSTEM G-FLEX 655 HARDENER 4L	WS-GF-655-H-4

WEST SYSTEM SIX 10 ADHESIVE



WEST SYSTEM

A thickened Epoxy Adhesive combines the strength and reliability of a two-part WEST SYSTEM Brand Epoxy with point-and-shoot convenience. The self-metering coaxial cartridge dispenses a gap-filling structural epoxy that bonds tenaciously to wood, metals, fibreglass and concrete. The WEST SYSTEM Six10 tube comes with a static mixer that lets you lay down a bead of thickened epoxy with any standard caulking gun.

Product Codes

WEST SYSTEM SIX10 ADHESIVE CARTRIDGE 190ml	WS-SIX10
WEST SYSTEM NOZZLES FOR SIX10 PK 2	WS-600-2

Adhesives & Sealants

PRO-SET EPOXY ADHESIVE

PRO-SET



The PRO-SET 175/275 was specifically developed for secondary bonding of component parts but is also an excellent adhesive for a wide variety of materials. The PRO-SET 176/276 delivers toughness and superior peel strength for heavily loaded applications and difficult-to-bond substrates. The PRO-SET 177/272 is a super-toughened adhesive epoxy that delivers toughness and superior peel strength for heavily loaded applications and difficult to bond substrates including pre-preg, SMC, metals and most plastics. Also for secondary bonding of laminated composites, steel, aluminium, cast iron, concrete, stone, and most wood species. Mix ratio by weight

Product Codes

PRO-SET 175/275 ADHESIVE CLEAR 400CC CARTRIDGE (2.20:1)	WS-PS175-275
PRO-SET 176/276 SUPER TOUGHENED ADHESIVE CLEAR 400CC (2.22:1)	WS-PS176-276
PRO-SET 176/276 SUPER TOUGHENED ADHESIVE BLACK 400CC (2.22:1)	WS-PS176-276-BL
PRO-SET 177/272 FAST SUPER TOUGHENED ADHESIVE BLACK 400C (2.22:1)	WS-PS177-272-BL
PRO-SET 177/272 FAST SUPER TOUGHENED ADHESIVE CLEAR 400C (2.22:1)	WS-PS177-272-CL
PRO-SET 300-MW MIX WANDS PK6 - NEW STYLE NOZZLES	WS-PS-300-MW
PRO-SET 300-X MANUAL DISPENSING GUN	WS-PS-300-X

PRO-SET 170/270 EPOXY ADHESIVE

PRO-SET



This pre-thickened, 1:1 mix, two part epoxy system is Lloyds Register of Shipping approved for the bonding of teak planking to glass reinforced polyester decks. Both resin & hardener are thixotropic pastes, resulting in good gap fill and sag resistant properties. Pro-Set 170/270 will also bond a wide variety of other substrates such as concrete, metals, and composites.

Product Codes

PRO-SET 170 RESIN 0.5KG (1:1)	WS-PS170-R-0.5
PRO-SET 170 RESIN 1KG (1:1)	WS-PS170-R-1
PRO-SET 170 RESIN 2.5KG (1:1)	WS-PS170-R-2.5
PRO-SET 170 RESIN 5KG (1:1)	WS-PS170-R-5
PRO-SET 170 RESIN 20KG (1:1)	WS-PS170-R-20
PRO-SET 270 HARDENER 0.5KG (1:1)	WS-PS270-H-0.5
PRO-SET 270 HARDENER 1KG (1:1)	WS-PS270-H-1
PRO-SET 270 HARDENER 2.5KG (1:1)	WS-PS270-H-2.5
PRO-SET 270 HARDENER 5KG (1:1)	WS-PS270-H-5
PRO-SET 270 HARDENER 20KG (1:1)	WS-PS270-H-20

WEST SYSTEM PRO-SET M1007-M2012 5 MINUTE ADHESIVE

PRO-SET



An easy to use, 1:1 mix, fast setting resin/hardener system. This adhesive is ideal for quick repairs and general bonding around the boat and in the home, the workshop or garage.

Product Codes

WEST SYSTEM PRO-SET M1007-M2012 5 MIN CARTRIDGE 250ml	WS-5MIN-CART
---	--------------

BISON UNIVERSAL ADHESIVE



Universal contact adhesive based on synthetic rubber, resins and solvents. Will bond laminated plastics, veneer, rubber edge strips, leather, felt, cork, stone & metals.

Product Codes

BIS UNIVERSAL ADHESIVE 25ml

BIS-6305304

BIS EPOXY METAL ADHESIVE



Metal Coloured, Hardwearing, Two-part epoxy adhesive. Ideal for hardwearing repairs to metal objects which need to resist extreme conditions (forces, vibrations, (sea) water, heavy strains), such as tools or parts of a car, motorcycle, bicycle or moped, metal (garden) fences or cutlery.

Product Codes

BIS EPOXY METAL 24ml

BIS-6305443

BIS CONTACT ADHESIVE



Super strong, liquid, universal contact adhesive based on neoprene rubber, synthetic resins and solvents. Bonds plastic panel boards (such as Formica), veneer, hardboard, plastic edgings, rubber, leather, linoleum, cork, textile or polyether foam to themselves as well as to wood, chipboard, concrete and metal. Excellent for bonding stair edgings, stair carpets, furniture tips or felt patches.

Product Codes

BIS KIT CONTACT ADHESIVE 50ml

BIS-6305326

BIS CONTACT ADHESIVE KIT 650ml

BIS-1501431

BISON CONTACT ADHESIVE



Universal, strong, two-part epoxy adhesive. Ideal for repairs to metals, pottery, porcelain, crystal, glass, ivory, pearls, precious stones and numerous synthetics (such as polyester, bakelite, Formica, rigid polystyrene and acrylic glass (Perspex).

Product Codes

BIS EPOXY UNIVERSAL 24ml

BIS-6305438

BISON POWER POLYURETHANE ADHESIVE




Universal two component polyurethane adhesive for bonding a wide variety of materials such as: metals, iron, wood, stone, concrete, glass and much, much more. Withstands temperatures between -30 to +100 degrees C.

Product Codes

BIS POWER POLYURETHANE ADHESIVE 65ml

BIS-6305494

BISON METAL LOCK ADHESIVE



A one part anaerobic adhesive which hardens in the absence of air. Designed for locking metal bolts, nuts & screws, tap bolts and studs. Withstands temperatures between -55 to +150 degrees C.

Product Codes

BIS METAL LOCK 10ml

BIS-6305388

BISON GLASS ADHESIVE



A UV curing acrylic adhesive for bonding glass, glassware, crystal and glass to metals. Withstands temperatures between -40 to +90 degrees C.

Product Codes

BIS GLASS ADHESIVE 2ml

BIS-6305392

BISON TEXTILE ADHESIVE



White, non-flammable adhesive for adhering textiles such as denim, cotton and synthetic materials. Heat resistant up to around 90 degrees C.

Product Codes

BIS TEXTILE ADHESIVE 25ml

BIS-6305310

BISON VINYL PLASTIC ADHESIVE



Adhesive for repairing soft PVC articles such as tarpaulins, ground sheets, swimming belts, inflatable boats, air mattresses & rainwear. Heat resistant up to around 70 degrees C.

Product Codes

BIS VINYL PLASTIC ADHESIVE 25ml

BIS-6305321

BISON TIX CONTACT ADHESIVE



Thixotropic contact adhesive based on polychloroprene rubber, synthetic resins and solvents. Will bond rigid laminated plastics, board, tiles, cork, veneers, rubbers, leather, textiles, concrete and metals. Heat resistant up to around 70 degrees C.

Product Codes

BIS TIX CONTACT ADHESIVE 50ml

BIS-6305342

BIS TIX CONTACT ADHESIVE 750ml

BIS-1505375

BISON EPOXY 5 MINUTES ADHESIVE



Crystal clear, fast, two-part epoxy adhesive. Ideal for fast, strong and invisible repairing of pottery, porcelain, glass, leather, wood, stone, metal and ceramics to themselves or to each other. Ideal for filling cracks thanks to filling capacity

Product Codes

BIS EPOXY 5 MINUTES 24ml

BIS-6305448

Super Glue

BISON SUPER GLUE PROFESSIONAL



Universal cyanoacrylate adhesive for bonding most synthetic materials, metal, rubber & china. Withstands temperatures between -50 to +80 degrees C.

Product Codes

BIS SUPER GLUE PROFESSIONAL 7.5gm

BIS-6305575

BISON SUPER GLUE GEL



Thixotropic cyanoacrylate adhesive which bonds porous wood, cardboard, cork, metals, rubber, china and many plastics. Withstands temperatures between -50 to +80 degrees C.

Product Codes

BIS SUPER GLUE GEL 3gm

BIS-6312667

BIS SUPER GLUE ROCKET



High quality cyanoacrylate adhesive in a modern high-tech pen dispenser for precise application. Will bond non porous materials such as metals, rubber, porcelain and many plastics. Withstands temperatures between -50 to +80 degrees C.

Product Codes

BIS SUPER GLUE ROCKET 3gm

BIS-6308061

BISON SUPER WOOD GLUE



Bonds wood-to-wood, soft and hardboard, synthetic resin board and chipboard. Very suitable for veneering purposes and can also be used for exterior applications.

Product Codes

BIS SUPER WOOD GLUE 75gm

BIS-6305288

BIS SUPER WOOD GLUE 250gm

BIS-1039052

BIS SUPER WOOD GLUE 750gm

BIS-1039908

BISON PU MAX PU ADHESIVE



One-component thixotropic polyurethane adhesive, setting when exposed to atmospheric moisture or by material humidity. Will bond wood, concrete, expanded polyurethane, formica and metals on porous substrates.

Product Codes

BIS PU-MAX TRANSPARENT 310ml

BIS-1588822

BIS PU EXPRESS TRANSPARENT 310ml

BIS-1588830

TENSORGRIP M50 FAST DRY CONTACT ADHESIVE



TENSORGRIP M50 is a fast dry, non-chlorinated adhesive designed for all types of upholstery, seating and wall coverings for boat/yacht interior applications in the Marine industry. TENSORGRIP M50 has been developed with an exceptional high tack and long open time making it suitable for bonding a variety of materials including carpet, foams and fabrics and many others.

Product Codes

TENSORGRIP M50 FAST DRY CONTACT ADHESIVE QG-M50-22L

TENSORGRIP M81 HIGH TEMPERATURE CONTACT ADHESIVE



TENSORGRIP M81 is a high performance contact adhesive. TENSORGRIP M81 creates a tough resilient bond line between decorative laminate materials and wood substrates in the Marine Industry. TENSORGRIP M81 is designed for permanent bonding where immediate bond strength and high heat resistance are required.

Product Codes

TENSORGRIP M81 HIGH TEMPERATURE CONTACT ADHESIVE 22L QG-M81-22

TENSORGRIP M82 ULTRA HIGH GRAB SPRAY ADHESIVE



TensorGrip M82 is a fast drying contact adhesive with good heat resistance. It is suitable for bonding a variety of materials to sheet timber, metal and some hard plastics. Immediate permanent bonds can be achieved by double-sided applications on most substrates. Its tacky, pressure-sensitive properties make it ideal for foam, fabrics, duct liner & wrap, some hard plastics and many other porous and non-porous substrates.

Product Codes

TENSORGRIP M82 ULTRA HIGH GRAB SPRAY ADHESIVE 22L QG-M82-22

TENSORGRIP M84 HIGH TACK MP ADHESIVE



Using TensorGrip is more than simply using an adhesive canister; it is having everything that you need to create that unbeatable bond as simply as possible. Inside this box lies the key to reaching the optimum potential of TensorGrip, bringing your work to new heights of quality and efficiency.

Product Codes

TENSORGRIP M84 HIGH TACK MP SPRAY ADHESIVE 500ML QG-M84-500
TENSORGRIP M84 HIGH TACK MP ADHESIVE 22L QG-M84-22

Now Available

Bostik's Smart App!

iOS & Android Device Compatible