



Thermal & Acoustic Insulation

3M

218-220

**ONLINE
ORDERING
AVAILABLE
NOW!**

Thinsulate

3M THINSULATE AU3002



This non-woven matt has excellent sound absorbing properties useful in many interior applications, for example inside door panels, instrument panels, pillar stuffers, and package trays. It is compressible, nonlinting, lightweight, and can be easily cut with scissors and/ or a knife. A black polyolefin scrim on one side protects the fibres. The product has been calendared to improve the attachment of the scrim and abrasion resistance of the fibrous surface.

Product Codes

3M THINSULATE BLACK ROLL 19mm X 152.4cm X 137M	3M-AU3002
3M THINSULATE BLACK ROLL 19mm X 152.4cm X 1 LINEAR METRE	3M-AU3002-M

3M THINSULATE MA4710



3M High Performance Insulation is specifically designed for a wide variety of marine interior applications including overheads, bulkboards, shipboard hulls, area separation panels and more for excellent sound absorbing properties. It is supplied with a white or black cover and is compressible, lightweight, conformable, and can easily scissored and/ or a knife, heat sealed, and thermally or sonically bonded to many other substrates.

Product Codes

3M THINSULATE BLACK ROLL 25mm X 76.2cm X 114.3M	3M-MA4710
3M THINSULATE BLACK 25mm X 76.2cm X 1 LINEAR METRE	3M-MA4710-M

3M THINSULATE MA6710



3M High Performance Insulation is specifically designed for a wide variety of marine interior applications including overheads, bulkboards, shipboard hulls, area separation panels and more for excellent sound absorbing properties. It is supplied with a white or black cover and is compressible, lightweight, conformable, and can easily be die-cut, heat sealed, and thermally or sonically bonded to many other substrates. The metalised version is ideal for use in engine bays.

Product Codes

3M THINSULATE BLACK ROLL 44mm X 152.4cm X 27.43M	3M-MA6710
3M THINSULATE BLACK ROLL 44mm X 152.4cm X 1 LINEAR METRE	3M-MA6710-M

Sound Deadening Pads

3M SOUND DEADENING PADS




A self adhesive, easy to shape and apply sound absorbing pad. Ideal for round engine bays and other noisy areas to help reduce unwanted sounds. The pads can be over-painted if required or 3M Thinsulate can be bonded on top of them to reduce noise levels even further.

Product Codes

3M SOUND DEADENING PADS 500mm X 500mm PK10	3M-08840
---	----------

Adhesives & Tapes

3M THINSULATE ALUMINIUM FOIL TAPE




Aluminium foil combined with high tack rubber adhesive and easy release liner. Holds and seals on a variety of surfaces. Offers excellent flame, moisture, weather and chemical resistance for a variety of demanding applications in aerospace, automotive, marine and many other segments.

Product Codes

3M THINSULATE ALUMINIUM FOIL TAPE 50mm x 50M	3M-1436-50
---	------------

Spray Adhesives

3M SUPER 77 SPRAY ADHESIVE



A lightweight, multipurpose spray adhesive which will bond almost anything to anything! This product can be used on expanded polyurethane and lightweight substrates.

Product Codes

3M SUPER 77 SPRAY ADHESIVE 500ml

3M-SPRAY77

3M HI-STRENGTH 90 SPRAY ADHESIVE



A fast setting, multipurpose, high strength contact adhesive with viable width spray pattern. Suitable for most substrates including polyethylene and polypropylene.

Product Codes

3M HI-STRENGTH 90 SPRAY ADHESIVE
500ml

3M-SPRAY90

Contact Adhesives

3M FASTBOND 49 WATER BASED CONTACT ADHESIVE



This insulation adhesive is a water-based, high solids, fast tacking, pressure sensitive adhesive for bonding lightweight materials like fibreglass insulation, felt, paper and other materials to metal and many other surfaces

Product Codes

3M FASTBOND 49 WATER BASED CONTACT ADHESIVE 2L

3M-FB49-2